



Mackenzie Valley Land and Water Board
 7th Floor - 4910 50th Avenue
 P.O. Box 2130
 YELLOWKNIFE NT X1A 2P6
 Phone (867) 669-0506
 FAX (867) 873-6610

FILE NUMBER: MV2005C0032
MV2005L2-0015

Date: December 9, 2013
 To: Distribution List
 Organization: Various
 Fax Number: Various
 Copied To: _____
 From: Elaine for Tyree Mullaney, Regulatory Officer
 Number of pages including cover 3

Remarks:

Request for review and comments on Post EIR
 Submission – Update Project Description

*Submission is too large to fax, if you require a hard
 copy, please contact Elaine at 867-766-7454 or
 Elaine Elaine@mvlwb.com

- Enclosures
- As requested
- For your information
- For your comment
- For your approval

<u>Delivered by</u>	<u>Date</u>
<input type="checkbox"/> Courier	_____
<input type="checkbox"/> Hand	_____
<input type="checkbox"/> Delivered	_____
<input checked="" type="checkbox"/> Fax	<u>Dec. 9, 13</u>
	<u>ELB</u>
Sent by	_____

Note: The document accompanying this transmission contains confidential information intended for a specific individual and purpose. The information is private, and is legally protected by law. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or the taking of any action in reference to the contents of this telecopied information is strictly prohibited. If you have received this communication in error, please notify the above person immediately by telephone and return the original to by regular mail to address above.

MVLWB Permits

From: LWB System Administrator <sqlmail@dpra.com>
Sent: Monday, December 09, 2013 8:56 AM
To: Undisclosed Recipients
Cc: zabey@mvlwb.com; rchouinard@mvlwb.com; tyree@mvlwb.com; veronica.chisholm@debeerscanada.com; craig.blackie@debeerscanada.com
Subject: Request for Comments on MVLWB Item - MV2005CL2-0015/MV2005C0032 - Post EIR Submission

The Mackenzie Valley Land and Water Board invites reviewers to submit comments on **MV2005CL2-0015/MV2005C0032 - Post EIR Submission** via the LWB Online Review System.

- To access **MV2005CL2-0015/MV2005C0032 - Post EIR Submission** , please follow this link: [LWB Online Review System](#).
- The deadline for reviewers to submit comments is Jan 16 at 9:59pm Mountain Time.
- The deadline for the proponent to submit responses is Jan 27 at 9:59pm Mountain Time.
- The User Manual for the LWB Online Review System is available [here](#).

This request is being distributed by email only. If you require materials to be mailed or faxed, or require other assistance, please contact the Mackenzie Valley Land and Water Board.

- Rebecca Chouinard: 867-766-7459 rchouinard@mvlwb.com
- Tyree Mullaney: 867-766-7464 tyree@mvlwb.com
- Zabey Nevitt: 867 7667457 zabey@mvlwb.com

Please sign in to update your notification preferences and note that this is a system generated email, so any feedback should be directed to permits@mvlwb.com.

December 9, 2013

File Number: MV2005C0032 MV2005L2-0015

AKAITCHO REGION DISTRIBUTION LIST

Organization	Contact Name	Contact Position/Title	Email/Fax
Fort Resolution Métis Council	Trudy King		(867)394-3322; Fieldworker.frmc53@northwestel.net;
Hay River Metis Council	Wally Shuman	President	(867)874-4472; hrmc@northwestel.net;
[NWT Metis Nation - Not for Canadian Zinc Files]	Tim Heron	NWTMN IMA Coordinator	(867)872-2772; rcc.nwtmn@northwestel.net;
Smith Landing First Nation	Andrew Wanderingspirit	Chief	(867)872-5154; chief@slfn196.com;

Fax Broadcast Report

Date/Time : DEC-09-2013 10:09AM MON
Fax Number : 1-867-873-6610
Fax Name : MVLWB
Model Name : Phaser 3635MFP

Total Pages Scanned: 3

No.	Remote Station	Start Time	Duration	Page	Mode	Job Type	Result
001	18678725154	12-09 10:04AM	00' 29	003/003	EC	HS	CP
002	18678722772	12-09 10:05AM	00' 27	003/003	EC	HS	CP
003	18678744472	12-09 10:06AM	00' 29	003/003	EC	HS	CP
004	18673943322	12-09 10:07AM	00' 32	003/003	EC	HS	CP

Abbreviations:

HS:Host Send	PL:Polled Local	CP:Completed	TS:Terminated by System
HR:Host Receive	PR:Polled Remote	FA:Fail	TU:Terminated by User
MS:Mailbox Save	WS:Waiting To Send	RP:Report	G3:Group3
MP:Mailbox Print	EC:Error Correct		