

Elaine Briere - MVLWB

From: Angela Plautz - MVLWB [aplautz@mvlwb.com]
Sent: Friday, July 09, 2010 2:34 PM
To: permits@mvlwb.com
Subject: FW: Fort Liard Water Licence - MV2009L3-0025

Please file.

From: Csicsai, Elise [mailto:ECsicsai@dillon.ca]
Sent: Wednesday, May 19, 2010 1:32 PM
To: Angela Plautz - MVLWB
Subject: RE: Fort Liard Water Licence - MV2009L3-0025

Hi Angela,

The existing water licence states that an updated O&M Manual and Spill Contingency Plan shall be submitted to the Board for approval within 6 months of the issuance of the licence(that is by the end of August 2010). Is it possible to amend the water licence, and still retain that flexibility?

Thank you,
Elise

From: Angela Plautz - MVLWB [mailto:aplautz@mvlwb.com]
Sent: Wednesday, May 19, 2010 11:58 AM
To: Csicsai, Elise
Cc: 'Jennifer Potten'; 'Nahum Lee'; 'Troy Searson'
Subject: RE: Fort Liard Water Licence - MV2009L3-0025

Hi Elise,

Here are my answers to your questions:

- 1) Construction can start once the amendment to the Water Licence has been approved and the land use permit (if required) has been issued by the Board. (As I mentioned below, you'll need to review the Mackenzie Valley Land Use Regulations to see if the project will require a LUP (e.g. type of equipment, etc.).)
- 2) The C&R Plan for the existing facility has to be submitted for approval six months prior to decommissioning. The C&R Plan does not have to be approved prior to the Board approving the amendment to the Water Licence for the new facility. Ideally the review process for the C&R Plan for the existing facility and the amendment application for the new facility would happen concurrently. Please include an updated O&M Plan, Spill Contingency Plan, and water monitoring information with the amendment application that incorporates the new facility.

I hope this helps. Please contact me if you have any more questions.

Regards,

Angela

From: Csicsai, Elise [mailto:ECsicsai@dillon.ca]
Sent: Wednesday, May 19, 2010 10:53 AM
To: Angela Plautz - MVLWB
Subject: RE: Fort Liard Water Licence - MV2009L3-0025

Hi Angela,

Thank you for your response. I have a couple more questions for you.

- 1) At which point in the process can construction of the new solid waste site commence (is both a land-use permit, and an approved amended water licence required)?
- 2) If the new site is constructed prior to the decommissioning of the old site, what steps are to be taken to ensure regulatory compliance.

I will follow-up regarding the rezoning of the site as soon as possible.

Thank you,

Elise

From: Angela Plautz - MVLWB [mailto:aplautz@mvlwb.com]
Sent: Wednesday, May 19, 2010 10:05 AM
To: Csicsai, Elise
Cc: 'Troy Searson'; laurie.ozmun@inac.gc.ca; permits@mvlwb.com
Subject: FW: Fort Liard Water Licence - MV2009L3-0025

Hi Elise,

As discussed yesterday, the new solid waste site will require an amendment to Water Licence MV2009L3-0025 and possibly a Land Use Permit. (Please see sections 4 and 5 of the Mackenzie Valley Land Use Regulations for the triggers for a land use permit: <http://www.mvlwb.ca/ActsAndRegs/Mackenzie%20Valley%20Land%20Use%20Regulations.pdf>.)

An application for an amendment plus a questionnaire will have to be filled out. All applications and guides are located on our website at: <http://www.mvlwb.ca/mv/AppForms/Forms/AllItems.aspx>.

Please note that community involvement information is required. Draft Public Engagement Guidelines are located on our website at the address provided above. As I mentioned yesterday, if you have already discussed the new facility with the public, please include it in the community involvement log.

Further, as per Part G, item 1 of the Water Licence, a closure and reclamation plan for the existing solid waste facility will have to be submitted for approval at least six months prior to abandoning the site.

If you have any questions, please let me know. One question I have for you is: has this area for the new facility been rezoned? On page 10 of the WL application that was submitted last September, it states that will be.

Thank you,

Angela

(Troy and Laurie, I've included the site map Elise emailed me yesterday. In a later email, she confirmed that the new sewage lagoon has already been built.)

Angela Plautz

Regulatory Officer
Mackenzie Valley Land and Water Board
7th Floor, 4922 48th St. PO Box 2130 | Yellowknife, NT | X1A 2P6
ph 867.669.0506 | fax 867.873.6610
aplautz@mvlwb.com | www.mvlwb.com



From: Csicsai, Elise [mailto:ECsicsai@dillon.ca]
Sent: Tuesday, May 18, 2010 2:29 PM
To: aplautz@mvlwb.com
Subject: Fort Liard Water Licence


Hi Angela,

As per our phone conversation earlier today, the construction of a new solid waste site, located adjacent to the existing facility, is planned to commence this summer/fall. The new solid waste site will contain 6 new cells, and have a 20 year life span. In addition, the Hamlet is also considering adding a new sewage lagoon cell. The location of the new solid waste site and the additional lagoon cell is identified in the attached site plan.

Considering these modifications, please confirm the process and necessary requirements to update the Hamlet's existing water licence.

Thank you,

Elise



Elise Csicsai
Dillon Consulting Limited
4920 - 47th Street, Suite 303
Yellowknife, Northwest Territories, X1A 2P1
T - 867.920.4555 ext. 4118
F - 867.873.3328
ECsicsai@dillon.ca
www.dillon.ca

Please consider the environment before printing this email

This message is directed in confidence solely to the person(s) named above and may contain privileged, confidential or private information which is not to be disclosed. If you are not the addressee or an authorized representative thereof, please contact the undersigned and then destroy this message.

Ce message est destiné uniquement aux personnes indiquées dans l'entête et peut contenir une information privilégiée, confidentielle ou privée et ne pouvant être divulguée. Si vous n'êtes pas le destinataire de ce message ou une personne autorisée à le recevoir, veuillez communiquer avec le soussigné et ensuite détruire ce message.

This message is directed in confidence solely to the person(s) named above and may contain privileged, confidential or private information which is not to be disclosed. If you are not the addressee or an authorized representative thereof, please contact the undersigned and then destroy this message.

Ce message est destiné uniquement aux personnes indiquées dans l'entête et peut contenir une information privilégiée, confidentielle ou privée et ne pouvant être divulguée. Si vous n'êtes pas le destinataire de ce message ou une personne autorisée à le recevoir, veuillez communiquer avec le soussigné et ensuite détruire ce message.

This message is directed in confidence solely to the person(s) named above and may contain privileged, confidential or private information which is not to be disclosed. If you are not the addressee or an authorized representative thereof, please contact the undersigned and then destroy this message.

Ce message est destiné uniquement aux personnes indiquées dans l'entête et peut contenir une information privilégiée, confidentielle ou privée et ne pouvant être divulguée. Si vous n'êtes pas le destinataire de ce message ou une personne autorisée à le recevoir, veuillez communiquer avec le soussigné et ensuite détruire ce message.