

## Elaine Briere - MVLWB

---

**From:** Angela Plautz - MVLWB [aplautz@mvlwb.com]  
**Sent:** Wednesday, June 02, 2010 11:36 AM  
**To:** 'Troy Searson'  
**Cc:** 'Marty Sanderson'; 'Rob-NWT Walker'; permits@mvlwb.com  
**Subject:** RE: MV09L3-25: Emergency decant

Thanks again for the update!

Angela

-----Original Message-----

**From:** Troy Searson [mailto:Troy.Searson@inac-ainc.gc.ca]  
**Sent:** Wednesday, June 02, 2010 11:33 AM  
**To:** Angela Plautz - MVLWB  
**Cc:** Marty Sanderson; Rob-NWT Walker  
**Subject:** Re: MV09L3-25: Emergency decant

Hi Angela,

As I have already reported to you in our conversation, the Hamlet has already conducted a decant of Cell 3 enough to afford the transfer of sewage effluent from Cell 2 to Cell 3 and Cell 1 to Cell 2 should the anticipated forecasted precipitation occur in the next few days. This will allow for containment without overtopping. Results of the effluent discharged is expected either today or tomorrow. If you have any other questions please feel free to call me at (867) 695-2626.

Thanks and have a great day!  
J'aimerais vous souhaiter une tres belle journee.

Troy Searson  
Water Resource Officer  
Indian and Northern Affairs Canada  
(867) 695-2626  
(867) 695-2615 FAX  
[troy.searson@inac-ainc.gc.ca](mailto:troy.searson@inac-ainc.gc.ca)

Please note the change in email address / Veuillez noter le changement au courriel.

Note: The information contained in this E-mail is private and confidential information intended only for the use of the addressee(s). If you are not the intended recipient, or an agent responsible for delivering the message to the intended recipient, you are hereby notified that any disclosure or distribution of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by telephone. Thank-you.

>>> "Angela Plautz - MVLWB" <[aplautz@mvlwb.com](mailto:aplautz@mvlwb.com)> 6/2/2010 8:31 am >>>  
Hi Troy,

Have you received any more information about the emergency decant  
(<http://www.mvlwb.ca/mv/Registry/2009/MV2009L3-0025/MV2009L3-0025%20-%20Requ>

est%20for%20Emergency%20Decanting%20-%20May27-10.pdf)?

Thanks,

Angela

Angela Plautz

Regulatory Officer

Mackenzie Valley Land and Water Board

7th Floor, 4922 48th St. PO Box 2130 | Yellowknife, NT | X1A 2P6

ph 867.669.0506 | fax 867.873.6610

<<mailto:yourname@mvlwb.com>> [aplautz@mvlwb.com](mailto:aplautz@mvlwb.com) | <<http://www.mvlwb.com>>  
[www.mvlwb.com](http://www.mvlwb.com)

\*

MV\_old