

**From:** [Katherine Silcock](#)  
**To:** [Adrian Paradis](#); [Tyree Mullaney](#); [sbaines@senes.ca](mailto:sbaines@senes.ca)  
**Cc:** [permits@mvlwb.com](mailto:permits@mvlwb.com)  
**Subject:** Re: MV2012L8-0010 - Roaster Complex Deconstruction Plan  
**Date:** Friday, May 24, 2013 8:55:51 AM

---

Thank you Tyree,

We'll get right on these and get you responses as soon as possible. Have a good day!

Katherine

>>> "Tyree Mullaney" <[tyree@mvlwb.com](mailto:tyree@mvlwb.com)> 5/24/2013 10:43 AM >>>  
Hi Adrian and team,

Sorry I didn't get this out to you all last night as promised. There are only a few questions/clarification/information issues.

- 1) Can you please provide further information on the use of Foster 32-90 i.e. MSDS (See AN comment 23)
- 2) When packaging the materials to be stored, are you going to be using the plastic sheeting? If so, will it be able to handle the winter temperatures? (see AN comment 30)
- 3) Are or will you be performing arsenic speciation monitoring and reporting on it publically? (see AN comment 41)
- 4) Risk based action levels for PM10 using a 70 year exposure: Can you please elaborate as to why this can't be done? Would there be implications to the project? Are there benefits of using such RBA? Etc. (see AN comment 45)

The sooner you get me the information the better.

Thanks,

**Tyree Mullaney**

Regulatory Manager

Mackenzie Valley Land and Water Board

7th Floor, 4922 48th St. | PO Box 2130 | Yellowknife NT | X1A 2P6

ph 867.766.7464 | cell 867.447.4643 | fax 867.873.6610

[tyree@mvlwb.com](mailto:tyree@mvlwb.com) | [www.mvlwb.com](http://www.mvlwb.com)

Please note: All correspondence to the Board, including emails, letters, faxes, and attachments are public documents and may be posted to the Public Registry.



