



Mackenzie Valley Land and Water Board
7th Floor - 4922 48th Street
P.O. Box 2130
YELLOWKNIFE NT X1A 2P6
Phone (867) 669-0506
FAX (867) 873-6610

September 28, 2017

File: MV2017C0024

Mr. Jamie Levy
President
Pine Point Mining Limited
1700-80 Richmond St. West
Toronto, ON M5H 2A4

Email: jlevy@pinepointmining.com

Dear Mr. Levy:

Land Use Permit Name Change
Pine Point Mining Limited

The Mackenzie Valley Land and Water Board (the Board) acknowledges receipt of your notification of company name change, dated August 29, 2017. The Board has changed Land Use Permit MV2017C0024 (issued to Darnley Bay Resources Limited) to Pine Point Mining Limited to reflect this company name change.

Enclosed is an updated Land Use Permit MV2017C0024 for your files which reflects this name change. These documents will be posted to our Public Registry.

If you have any questions or concerns, please contact Julian Morse at (867) 766-7453 or jmorse@mvlwb.com.

Yours sincerely,

A handwritten signature in blue ink, appearing to read "Mavis Cli-Michaud".

Mavis Cli-Michaud
MVLWB, Chair

Copied to: Distribution List
Charlene Coe, GNWT
Norm McCowan, Inspector, GNWT
Mike Vassal, Inspector, GNWT
Derise Rehm-Lepine, Inspector, GNWT

Attached: Land Use Permit MV2017C0024



Land Use Permit

Permit Class	Permit No	Amendment No
A	MV2017C0024	

Subject to the Mackenzie Valley Land Use Regulations and the terms and conditions in this Permit, authority is hereby granted to:

Pine Point Mining Limited

Permittee

to proceed with the land use operation described in the Application of:

Signature Mr. Jamie Levy	Date May 29, 2017
Type of Land Use Operation Mineral Exploration	
Location Pine Point area, NT	

This Permit may be assigned, extended, discontinued, suspended, or cancelled pursuant to the Mackenzie Valley Land Use Regulations.

Dated at Yellowknife this 28 day of September, 2017

Signature Chair

Mavis Cli-Michaud

Signature Witness

Tyree Mullaney

Commencement Date

July 20, 2017

Expiry Date

July 19, 2022

ATTENTION

It is a condition of this Permit that the Permittee comply with the provisions of the *Mackenzie Valley Resource Management Act* and Regulations and the terms and conditions set out herein. A failure to comply may result in suspension or cancellation of this Permit.

Conditions Annexed to and Forming Part of Land Use Permit # MV2017C0024

Part A: Scope of Permit

1. This Permit entitles the Permittee to conduct the following land-use operation:
 - a) Use of heavy machinery and vehicles;
 - b) Mineral exploration, including diamond drilling;
 - c) Construction and maintenance of a camp; and
 - d) Fuel storage.
2. This Permit is issued subject to the conditions contained herein with respect to the use of land for the activities and area identified in Part A, item 1 of this Permit.
3. Compliance with the terms and conditions of this Permit does not excuse the Permittee from its obligation to comply with the requirements of any applicable Federal, Territorial, Tłıchǫ, or Municipal laws.

Part B: Definitions (defined terms are capitalized throughout the Permit)

Act - the *Mackenzie Valley Resource Management Act*.

Board - the Mackenzie Valley Land and Water Board established under Part 4 of the Act.

Borehole - a hole that is made in the surface of the ground by drilling or boring.

Dogleg - the clearing of a line, trail, or right-of-way that is curved sufficiently so that no part of the clearing beyond the curve is visible when approached from either direction.

Drilling Fluids - any liquid mixture of water, sediment, drilling muds, chemical additives or other wastes that are pumped down hole while drilling and are specifically related to drilling activity.

Drilling Waste - all materials or chemicals, solid or liquid, associated with drilling, including drill cuttings and Drilling Fluids.

Durable Land - land that is able to withstand repeated use, such as gravel or sand with minimal vegetative cover.

Engagement Plan - a document, developed in accordance with the Board's *Engagement and Consultation Policy* and the *Engagement Guidelines for Applicants and Holders of Water Licences and Land Use Permits*, that clearly describes how, when, and which engagement activities will occur with an affected party during the life of the project.

Flowing Artesian Well - a well in which water:

- a) Naturally rises above the ground surface or the top of any casing; and
- b) Flows naturally, either intermittently or continuously.

Fuel Storage Container - a container for the storage of petroleum or allied petroleum products with a capacity of less than 230 litres.

Fuel Storage Tank - a closed container for the storage of petroleum or allied petroleum products with a capacity of more than 230 litres.

Greywater - all liquid wastes from showers, baths, sinks, kitchens, and domestic washing facilities but not including toilet wastes.

Habitat - the area or type of site where a species or an individual of a species of wildlife naturally occurs or on which it depends, directly or indirectly, to carry out its life processes.

Inspector - an Inspector designated by the Minister under the *Act*.

Minister - the Minister of Indian Affairs and Northern Development Canada or the Minister of the Government of the Northwest Territories – Department of Lands, as the case may be.

Ordinary High Water Mark - the usual or average level to which a body of water rises at its highest point and remains for sufficient time so as to change the characteristics of the land. In flowing waters (rivers, streams) this refers to the “active channel/bank-full level” which is often the 1:2 year flood flow return level. In inland lakes, wetlands, or marine environments, it refers to those parts of the Watercourse bed and banks that are frequently flooded by water so as to leave a mark on the land and where the natural vegetation changes from predominately aquatic vegetation to terrestrial vegetation (excepting water tolerant species). For reservoirs, this refers to normal high operating levels (full supply level).

Permittee - the holder of this permit.

Permafrost - ground (soil or rock) that remains at or below 0°C for at least two consecutive years.

Secondary Containment - containment that prevents liquids that leak from Fuel Storage Tanks or containers from reaching outside the containment area and includes double-walled Tanks, piping, liners, and impermeable barriers.

Sewage - all toilet wastes and Greywater.

Sewage Disposal Facilities - Sump(s) and/or Sewage collection tank(s) and/or storage containers designed to hold Sewage.

Spill Contingency Plan - a document, developed in accordance with Aboriginal Affairs and Northern Development Canada’s *Guidelines for Spill Contingency Planning* (April 2007, that describes the set of procedures to be implemented to minimize the effects of a spill.

Sump - a man-made pit or natural depression in the earth's surface used for the purpose of depositing Waste that does not contain Toxic Material, such as non-toxic Drilling Waste or Sewage, therein.

Toxic Material - any substance that enters or may enter the environment in a quantity or concentration or under conditions such that it:

- a) Has or may have an immediate or long-term harmful effect on the environment or its biological diversity;
- b) Constitutes or may constitute a danger to the environment on which life depends; or
- c) Constitutes or may constitute a danger in Canada to human life or health.

Waste - any garbage, debris, chemical, or Toxic Material to be used, stored, disposed of, or handled on land, and also as defined in section 51 of the Act.

Waste Management Plan - a document, developed in accordance with the Board's *Guidelines for Developing a Waste Management Plan*, that describes the methods of Waste management from Waste generation to final disposal.

Watercourse - a natural body of flowing or standing water or an area occupied by water during part of the year, and includes streams, springs, swamps and gulches but does not include groundwater.

Part C: Conditions Applying to All Activities (headings correspond to subsection 26(1) of the Mackenzie Valley Land Use Regulations)

Condition	Category
26(1)(a) Location and Area	
1. The Permittee shall not conduct any part of the land-use operation within 300 metres of any privately owned or leased land or structure, unless otherwise authorized in writing by the Board.	PRIVATE PROPERTY
2. The Permittee shall not conduct any part of the land-use operation within 300 metres of a cabin used for traditional activities, including trapping, hunting, or fishing, unless otherwise authorized in writing by the Board.	AVOID CABINS
3. The Permittee shall locate all camps on Durable Land or previously cleared areas.	CAMP LOCATION
4. Prior to the commencement of drilling, the Permittee shall submit the drill target locations on a 1:50,000-scale map with coordinates and map datum to the Board and an Inspector.	DRILL LOCATIONS
5. The Permittee shall not construct parallel lines or roads, unless an existing line or road cannot be used.	PARALLEL ROADS
6. The Permittee shall locate all lines, trails, and right-of-ways to be constructed parallel to any Watercourse a minimum of 100 metres from the Ordinary High Water Mark, except at crossings.	PARALLEL WATERCOURSE
7. The Permittee shall not conduct this land-use operation on any lands not designated in the complete application.	LOCATION OF ACTIVITIES
8. The Permittee shall confine the width of any lines, trails, or right-of-ways to the minimum possible width for the land-use-operation, and a maximum of 10 metres.	WIDTH RIGHT-OF-WAY
26(1)(b) Time	
9. At least 48 hours prior to the commencement of this land-use operation, the Permittee's Field Supervisor shall contact an Inspector: a) for all activities west of the Buffalo River at (867) 874-6995; b) for all activities east of the Buffalo River at (867) 872-2558 ext. 24; and c) for all activities on Government of the Northwest Territories – Commissioners Lands at (867) 872-2558 ext. 22.	CONTACT INSPECTOR (TERRITORIAL)
10. At least 48 hours prior to the commencement of this land-use operation and prior to any land use activities within or near the rail bed, the Permittee's Field Supervisor shall contact the Inspectors at (867) 669-2442 or (867) 669-2468.	CONTACT INSPECTOR (FEDERAL)

- | | |
|--|---|
| <p>11. At least 48 hours prior to commencement of the land-use operation, the Permittee shall provide the following information, in writing, to the Board and an Inspector:</p> <p>a) the name(s) of the person(s) in charge of the field operation;</p> <p>b) alternates; and</p> <p>c) all methods for contacting the above person(s).</p> | <p>IDENTIFY AGENT</p> |
| <p>12. At least ten days prior to the completion of the land-use operation, the Permittee shall advise an Inspector of:</p> <p>a) the plan for removal or storage of equipment and materials; and</p> <p>b) when final cleanup and reclamation of the land used will be completed.</p> | <p>REPORTS BEFORE
REMOVAL</p> |
| <p>26(1)(c) Type and Size of Equipment</p> | |
| <p>13. The Permittee shall not use any equipment except of a similar type, size, and number to that listed in the complete application.</p> | <p>ONLY APPROVED
EQUIPMENT</p> |
| <p>26(1)(d) Methods and Techniques</p> | |
| <p>14. The Permittee shall Dogleg lines, trails and right-of-ways that approach Watercourses or public roads.</p> | <p>DOGLEG
APPROACHES</p> |
| <p>15. Prior to the movement of any vehicle that exerts pressure on the ground in excess of 35 kPa, the Permittee shall scout proposed lines and routes to select the best location for crossing streams and avoiding terrain obstacles.</p> | <p>DETOURS AND
CROSSINGS</p> |
| <p>16. Immediately upon completion of operations at each Borehole, the Permittee shall remove or cut off and seal each drill casing at ground level.</p> | <p>MINERAL
EXPLORATION
DRILL CASINGS</p> |
| <p>17. The Permittee shall construct and maintain the overland portion of winter roads with a minimum of 10 cm of packed snow and/or ice at all times during this land-use operation.</p> | <p>WINTER ROADS</p> |
| <p>18. The Permittee shall not erect camps or store material, other than that required for immediate use, on the ice surface of a Watercourse.</p> | <p>STORAGE ON ICE</p> |
| <p>19. The Permittee shall leave a buffer strip of undisturbed vegetation at least 30 metres in width between cleared areas and public roads</p> | <p>TREE SCREEN</p> |
| <p>26(1)(e) Type, Location, Capacity, and Operation of All Facilities</p> | |
| <p>20. The Permittee shall ensure that the land use area is kept clean at all times.</p> | <p>CLEAN WORK
AREA</p> |
| <p>21. The Permittee shall not locate any Sump within 100 metres of the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector.</p> | <p>SUMPS FROM
WATER</p> |

26(1)(f) Control or Prevention of Ponding of Water, Flooding, Erosion, Slides, and Subsidence of Land

- | | | |
|-----|--|------------------------------------|
| 22. | The land-use operation shall not cause obstruction to any natural drainage. | NATURAL DRAINAGE |
| 23. | The Permittee shall minimize erosion by installing erosion control structures as the land-use operation progresses. | PROGRESSIVE EROSION CONTROL |
| 24. | The Permittee shall, where flowing water from a Borehole made by the Permittee is encountered:
a) plug the Borehole in such a manner as to permanently prevent any further outflow of water; and
b) immediately report the occurrence to the Board and an Inspector. | FLOWING ARTESIAN WELL |
| 25. | The Permittee shall not conduct off-road vehicle travel in areas without snow-covered surfaces. | OFF-ROAD VEHICLE TRAVEL |
| 26. | The Permittee shall prepare the site in such a manner as to prevent rutting of the ground surface. | PREVENTION OF RUTTING |
| 27. | The Permittee shall suspend overland travel of equipment or vehicles at the first sign of rutting. | SUSPEND OVERLAND TRAVEL |
| 28. | The Permittee shall not move any equipment or vehicles unless the ground surface is in a state capable of fully supporting the equipment or vehicles without rutting or gouging. | VEHICLE MOVEMENT FREEZE-UP |
| 29. | The Permittee shall not use any material other than clean water and snow in the construction of ice bridges. | ICE BRIDGE MATERIALS |
| 30. | The Permittee shall not use any materials other than clean snow and water in the construction of snow fills. | SNOWFILL MATERIALS |
| 31. | Prior to spring break-up or completion of the land-use operation, the Permittee shall clean up and either remove or v-notch all snowfills from stream crossings, unless otherwise authorized in writing by an Inspector. | REMOVE OR V-NOTCH SNOWFILLS |
| 32. | Prior to spring break-up or completion of the land-use operation, the Permittee shall clean up and v-notch all ice bridges, unless otherwise authorized in writing by an Inspector. | V-NOTCH ICE BRIDGES |
| 33. | The Permittee shall not cut any stream bank, unless otherwise authorized in writing by an Inspector. | STREAM BANKS |

- | | | |
|---|--|--|
| 34. | The Permittee shall minimize approach grades on all Watercourse crossings. | MINIMIZE
APPROACH |
| 35. | The Permittee shall not ford wet streams. | NO FORDING OF
STREAMS |
| 36. | The Permittee shall slope the sides of Waste material piles, excavations, and embankments — except in solid rock — to a minimum ratio of 2:1 vertical, unless otherwise authorized in writing by an Inspector. | EXCAVATION AND
EMBANKMENTS |
| 37. | The Permittee shall not remove vegetation or operate heavy equipment within 100 metres of the Ordinary High Water Mark of any Watercourse. | WATERCOURSE
BUFFER |
| 38. | The Permittee shall not excavate land within 100 metres of the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector. | EXCAVATE NEAR
WATERCOURSE |
| 26(1)(g) Use, Storage, Handling, and Ultimate Disposal of Any Chemical or Toxic Material | | |
| 39. | At least seven days prior to the use of any chemicals that were not identified in the complete application, the MSDS sheets must be provided to the Board and an Inspector. | CHEMICALS |
| 40. | When drilling within 100 metres of the Ordinary High Water Mark of any Watercourse, and when drilling on ice, the Permittee shall contain all drill water and Drilling Waste in a closed circuit system for reuse, off-site disposal, or deposit into a land-based Sump or natural depression. | DRILLING NEAR
WATER OR ON ICE |
| 41. | The Permittee may deposit Drilling Waste that does not contain Toxic Material in a Sump or natural depression. Any Sumps or natural depressions used to deposit Drilling Waste must be located at least 100 metres from the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector. | DRILLING WASTE |
| 42. | The Permittee shall remove all Drilling Waste containing Toxic Material to an approved disposal facility. | DRILLING WASTE
DISPOSAL |
| 43. | The Permittee shall not allow any Drilling Waste to spread to the surrounding lands or Watercourses. | DRILLING WASTE
CONTAINMENT |
| 44. | Prior to rig removal, the Permittee shall supply, to the Board and an Inspector, a list of mud components used during the drilling operation. | MUD
COMPONENTS |
| 45. | Prior to the expiry date of this Permit or the end of the land-use operation whichever comes first, the Permittee shall backfill and restore all Sumps, unless otherwise authorized in writing by an Inspector. | BACKFILL SUMPS |

46. The Permittee shall maintain a record of all spills. For all reportable spills, in accordance with the GNWT *Spill Contingency Planning and Reporting Regulations*, the Permittee shall:
- a) immediately report each spill to the 24-hour Spill Report Line (867) 920-8130;
 - b) report each spill to an Inspector within 24 hours; and
 - c) submit, to the Board and an Inspector, a detailed report on each spill within 30 days.

REPORT SPILLS

47. The Permittee shall dispose of all Toxic Material as described in the approved Waste Management Plan.

**WASTE CHEMICAL
DISPOSAL**

48. The Permittee shall dispose of all combustible Waste petroleum products by removal to an approved disposal facility.

**WASTE
PETROLEUM
DISPOSAL**

26(1)(h) Wildlife and Fish Habitat

49. The Permittee shall take all reasonable measures to prevent damage to wildlife and fish Habitat during this land-use operation.

HABITAT DAMAGE

50. The Permittee shall construct and maintain the water intake(s) with a fish screen designed to prevent impingement and/or entrainment of fish, in accordance with the best practices outlined in both the Department of Fisheries and Oceans' *Freshwater Intake End-of-Pipe Fish Screen Guidelines*, and *Fish Screen Design Criteria for Flood and Water Truck Pumps*.

**PREVENT
ENTRAINMENT**

51. In one ice-covered season, total water withdrawal from a single fish-bearing Watercourse shall not exceed 10% of the available water volume calculated using the appropriate maximum expected ice thickness, in accordance with the best practices outlined in the Department of Fisheries and Oceans' *Protocol for Winter Water-Withdrawal from Ice-Covered Waterbodies in the NWT and NU*.

**WATER
WITHDRAWAL**

26(1)(i) Storage, Handling, and Disposal of Refuse or Sewage

52. The Permittee shall adhere to the **Waste Management Plan**, once approved, and shall annually review the plan and make any necessary revisions to reflect changes in operations, technology, chemicals, or fuels, or as directed by the Board. Revisions to the plan shall be submitted to the Board for approval.

**WASTE
MANAGEMENT**

53. The Permittee shall keep all garbage and debris in a secure container until disposal.

**GARBAGE
CONTAINER**

54. The Permittee shall dispose of all garbage, Waste, and debris as described in the approved Waste Management Plan, unless otherwise authorized in writing by an Inspector.

**REMOVE
GARBAGE**

- | | | |
|-----|---|-----------------------------------|
| 55. | The Permittee shall dispose of all Sewage and Greywater as described in the approved Waste Management Plan. | SEWAGE DISPOSAL
– PLAN |
|-----|---|-----------------------------------|

26(1)(j) Protection of Historical, Archaeological, and Burial Sites

- | | | |
|-----|---|----------------------------------|
| 56. | The Permittee shall not operate any vehicle or equipment within 30 metres of a known or suspected historical or archaeological site or burial ground. | ARCHAEOLOGICAL
BUFFER |
|-----|---|----------------------------------|

- | | | |
|-----|---|-------------------------|
| 57. | The Permittee shall not knowingly remove, disturb, or displace any archaeological specimen or site. | SITE DISTURBANCE |
|-----|---|-------------------------|

- | | | |
|-----|---|--|
| 58. | The Permittee shall, where a suspected archaeological or historical site, or burial ground is discovered: | SITE DISCOVERY
AND
NOTIFICATION |
| | a) immediately suspend operations on the site; and | |
| | b) notify the Board at (867) 669-0506 or an Inspector at (867) 874-6995 for discoveries west of the Buffalo River, or (867) 872-2558 ext. 24 for activities east of the Buffalo River, or for all activities on Government of the Northwest Territories – Commissioners Lands at (867) 872-2558 ext. 22; and the Prince of Wales Northern Heritage Centre at 767-9347 ext. 71250 or ext. 71251. | |

- | | | |
|-----|--|------------------------------------|
| 59. | At least 60 days prior to any new land disturbance, including new drill sites, the Permittee shall conduct an Archaeological Overview to identify areas of high and low potential for archaeological and burial sites and shall submit a summary report to the Board and the Prince of Wales Northern Heritage Centre. | ARCHAEOLOGICAL
OVERVIEW |
|-----|--|------------------------------------|

- | | | |
|-----|--|---------------------------------|
| 60. | Prior to disturbance in areas of high potential for archaeological or burial sites identified in the Archaeological Overview, the Permittee shall conduct an Archaeological Impact Assessment of the sites where disturbance is planned and shall submit a summary report to the Board and the Prince of Wales Northern Heritage Centre. | AIA – HIGH
POTENTIAL |
|-----|--|---------------------------------|

26(1)(k) Objects and Places of Recreational, Scenic, and Ecological Value

- | | | |
|-----|---|---------------------------------|
| 61. | The Permittee shall not conduct any activity within 500 metres of the Buffalo River, and 1000 metres of Great Slave Lake. | BUFFER / NO
ACTIVITY |
|-----|---|---------------------------------|

26(1)(l) Security Deposit

- | | | |
|-----|--|-------------------------|
| 62. | Prior to the commencement of the land-use operation, the Permittee shall deposit with the Minister a security deposit in the amount of \$164,500.00. | SECURITY DEPOSIT |
|-----|--|-------------------------|

- | | | |
|-----|--|---|
| 63. | All costs to remediate the area under this Permit are the responsibility of the Permittee. | RESPONSIBILITY
FOR REMEDIATION
COSTS |
|-----|--|---|

26(1)(m) Fuel Storage

- | | | |
|-----|--|--|
| 64. | The Permittee shall:
a) examine all Fuel Storage Containers and Tank for leaks a minimum of once per week; and
b) repair all leaks immediately. | CHECK FOR LEAKS |
| 65. | The Permittee shall not place any Fuel Storage Containers or Tanks within 100 metres of the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector. | FUEL NEAR WATER |
| 66. | The Permittee shall ensure that all fuel caches have adequate Secondary Containment. | FUEL CACHE
SECONDARY
CONTAINMENT |
| 67. | The Permittee shall set up all refueling points with Secondary Containment. | SECONDARY
CONTAINMENT –
REFUELING |
| 68. | The Permittee shall only use stands approved by an Inspector for supporting Fuel Storage Containers that are in use. | FUEL CONTAINER
STANDS |
| 69. | The Permittee shall locate mobile fuel facilities on land when the facilities are stationary for more than 12 hours. | FUEL ON LAND |
| 70. | The Permittee shall mark all Fuel Storage Containers and Tanks with the Permittee's name. | MARK
CONTAINERS AND
TANKS |
| 71. | The Permittee shall mark all stationary fuel caches and fuel storage facilities with flags, posts, or similar devices so that they are at all times plainly visible to local vehicle travel. | MARK FUEL
LOCATION |
| 72. | The Permittee shall have a maximum of 16,000 litres of fuel stored on the land use site at any time, unless otherwise authorized in writing by the Board. | MAXIMUM FUEL
ON SITE |
| 73. | Within ten days of the establishment of any fuel cache, the Permittee shall report the location and quantity of the cache in writing to the Board and an Inspector. | REPORT FUEL
LOCATION |
| 74. | The Permittee shall seal all outlets of Fuel Storage Containers and store the containers on their sides with the outlets located at 3 and 9 o'clock, except for containers currently in use. | SEAL OUTLET |
| 75. | The Permittee shall adhere to the Spill Contingency Plan , once approved, and shall annually review the plan and make any necessary revisions to reflect changes in operations, technology, chemicals, or fuels, or as directed by the Board. Revisions to the plan shall be submitted to the Board for approval. | SPILL
CONTINGENCY
PLAN |

- | | | |
|--|---|--|
| 76. | Prior to commencement of the land-use operation the Permittee shall ensure that spill-response equipment is in place to respond to any potential spills. | SPILL RESPONSE |
| 77. | All equipment that may be parked for two hours or more, shall have a haz-mat/drip tray under it or be sufficiently diapered. Leaky equipment shall be repaired immediately. | DRIP TRAYS |
| 78. | The Permittee shall immediately clean up all leaks, spills, and contaminated material. | CLEAN UP SPILLS |
| 26(1)(n) Methods and Techniques for Debris and Brush Disposal | | |
| 79. | Prior to the expiry date of this Permit, the Permittee shall progressively dispose of all brush and trees and shall complete all brush disposal; all disposal shall be completed. | BRUSH DISPOSAL/
TIME |
| 80. | The Permittee shall not clear areas larger than identified in the complete application. | MINIMIZE AREA
CLEARED |
| 26(1)(o) Restoration of the Lands | | |
| 81. | All areas affected by construction or removal activities shall be stabilized and landscaped to their pre-construction profiles, unless otherwise authorized in writing by an Inspector. | PRE-
CONSTRUCTION
PROFILES |
| 82. | The Permittee shall dispose of all overburden as instructed by an Inspector. | DISPOSAL OF
OVERBURDEN |
| 83. | Prior to the expiry date of this Permit, the Permittee shall complete all cleanup and restoration of the lands used. | FINAL CLEANUP
AND
RESTORATION |
| 84. | Prior to the expiry date of this Permit, the Permittee shall prepare the site in such a manner as to facilitate natural revegetation. | NATURAL
VEGETATION |
| 85. | The Permittee shall carry out progressive reclamation of disturbed areas as soon as it is practical to do so. | PROGRESSIVE
RECLAMATION |
| 86. | The Permittee shall restore any trails impacted by the land-use operation by removing fallen trees and any other obstructions from the trails. | TRAILS
RESTORATION |
| 87. | The Permittee shall, while preparing the access road, make every effort to avoid covering or destroying active traps or snares that may be found along these routes. | TRAPS
PROTECTION |

26(1)(p) Display of Permits and Permit Numbers

- | | | |
|-----|--|-----------------------|
| 88. | The Permittee shall display a copy of this Permit in each campsite established to carry out this land-use operation. | DISPLAY PERMIT |
| 89. | The Permittee shall keep a copy of this Permit on hand at all times during this land-use operation. | COPY OF PERMIT |

26(1)(q) Biological and Physical Protection of the Land

- | | | |
|-----|---|---------------------------------------|
| 90. | The Permittee shall not move any equipment or commence any drilling when one or more caribou is within five hundred (500) metres. Caribou and all wildlife shall be given the right of way at all times. | CARIBOU
DISTURBANCE |
| 91. | If migratory birds or their nesting areas, or any species at risk are encountered during the course of operations, the Permittee shall minimize all activity so as to not disturb these animals. | MIGRATORY BIRD
DISTURBANCE |
| 92. | If any plan is not approved by the Board, the Permittee shall revise the plan according to the Board's direction and re-submit it to the Board for approval. | RESUBMIT PLAN |
| 93. | The Permittee shall adhere to the Engagement Plan , once approved, and shall annually review the plan and make any necessary revisions to reflect changes in operations or as directed by the Board. Revisions to the plan shall be submitted to the Board for approval. | ENGAGEMENT
PLAN |
| 94. | All revised plans submitted to the Board shall include a brief summary of the changes made to the plan. | SUMMARY OF
CHANGES |