

7. Quantity of water involved (litres per second, litres per day or cubic meters per year), including both quantity to be used and quantity to be returned to source.

A maximum of 100 m³/day of water will be extracted for access preparation activities associated with the Project. All water used for Project activities will be returned to the source, none is used for consumption. This water use is approved under an existing water licence and is not part of this application.

8. Waste deposited (quantity, quality, treatment and disposal)

A Waste Management Plan for the proposed activities is to be developed in accordance with the Board's *Guidelines for Developing a Waste Management Plan* (accessible at www.mvlwb.com) and submitted as an attachment to the application form. A template for this Plan is provided in the Guidelines. Applications for a municipal licence do not need to include a Waste Management Plan as this information is required under the Operation and Maintenance Plan.

In addition, applicants are referred to the Board's *Water and Effluent Quality Management Policy* (accessible at www.mvlwb.com) to understand the Board's approach to managing the deposit of waste into the receiving environment through enforceable terms and conditions set in water licences.

See Appendix III for Enbridge's Project-specific Waste Management Plan.

9. Other persons or properties affected by this Undertaking (give name, mailing address and location). Attach a list if necessary.

Not Applicable.

10. Predicted environmental impacts of Undertaking and proposed mitigation.

As part of the response to this section, a spill contingency plan for the proposed activities is to be developed in accordance with INAC's *Guidelines for Spill Contingency Planning, April 2007*. (accessible at <http://www.ainc-inac.gc.ca/ai/scr/nt/pdf/SCP-EUD-eng.pdf>). This plan is to be submitted as an attachment to the application form.

See Appendix IV for Enbridge's Spill Contingency Plan and Appendix I for the Environmental Assessment for the Project.

11. Contractors and sub-contractors (names, addresses and functions). Attach a list if necessary.

TBD

12. Studies undertaken to date. Attach a list if necessary.

Environmental Screening conducted August 15, 2017, see Appendix I.

13. Proposed time schedule.

Start date: 01/01/2018 Completion date: 31/03/2018

Name (print): Peter Cushman Signature: _____

Title (print): Project Manager Date: November 22, 2017

Please make all cheques payable to "Receiver General of Canada"

FOR OFFICE USE ONLY

Application Fee Amount: \$ _____ Receipt No: _____

Water Use Deposit Amount: \$ _____ Receipt No: _____