



SAHTU Land & Water Board
P.O. Box 1
Fort Good Hope, NT
X0E 0H0

February 7, 2018

Sarah McKenzie
Manager, Regulatory Affairs
Enbridge Pipelines (NW) Inc.
10175 101 Street
Edmonton, AB
T5J 3S4

Our File: S17P-005 & S17L1-004

Your email: Sarah.McKenzie@enbridge.com

Dear Ms. McKenzie

**RE: Issuance of Type A Land Use Permit S17P-005 & Type B Water Licence S17L1-004
Industrial Use – Line 21 Pipeline KP 180 Integrity Digs (2) Project – Saline River**

Attached is Type A Land Use Permit (Permit) S17P-005 granted by the Sahtu Land and Water Board (SLWB or the Board) in accordance with the Mackenzie Valley Resource Management Act (MVRMA). This Permit has been approved for a period of 2 (two) years commencing February 7, 2018 and expiring February 6, 2020.

Also attached is Type B Water Licence (Licence) S17L1-004 granted by the Board in accordance with the MVRMA and Waters Act. This Licence has been approved for a period of 2 (two) years commencing February 7, 2018 and expiring February 6, 2020.

Security

In accordance with Part C, item 1 of the Licence, a security deposit in the amount of \$10,000.00 shall be posted with the Minister and copied to the Board prior to February 21, 2018, pursuant to section 35 of the Waters Act. Submit payment of the security, made out to the Government of the Northwest Territories, in the amount of \$10,000, to: Government of the Northwest Territories, Box 1320, Yellowknife, NT, X1A 2L9, Attention: Director, Water Resources. Please provide a copy of the receipt of security to the SLWB office prior to February 16, 2018.

Management Plans

The Board hereby **approves the Engagement Plan** as submitted with the Applications on December 22, 2018, and required by Part B, Condition 7 of the Licence and condition 85 of the Permit.

The Board hereby requires that Enbridge **resubmit the Waste Management Plan, Spill Contingency Plan, and Sediment and Erosion Plan** in accordance with comments made during this review, as summarized in Table 1. These Plans will be considered to be approved upon written confirmation of conformity from Board staff.

Table 1: Management Plans requiring resubmission

Title	Date Due	Revision Requirement
Waste Management Plan	February 16, 2018	<ul style="list-style-type: none"> • Correct Table 5 – Waste Disposal Facility for Hazardous Waste
Spill Contingency Plan	February 16, 2018	<ul style="list-style-type: none"> • Include MSDS • Include detailed map showing storage locations and locations of all response equipment
Sediment and Erosion Control Plan	February 16, 2018	<ul style="list-style-type: none"> • Include water management and post-construction monitoring information to meet requirements of Part E, Condition 4.

Copies of this Permit and Licence and all related correspondence and documents has been filed on the Public Registry at the office of the SLWB. Please be advised that this letter, Inspection Reports, and related correspondence are part of the Public Registry and are intended to keep all interested parties informed of the manner in which the Permit requirements are being met. All Public Registry material will be considered if an amendment to the Permit is requested.

Should you wish to discontinue your land-use operation at any time prior to the date of completion set out in the Permit, a written notice of discontinuance is required as per section 37 of the MVLUR, in addition to the submission of a final plan. Please note that Part I, Condition 1 of Licence S17L1-004 requires submission of Final Closure and Reclamation Plan for the Project for Board approval by **February 22, 2018**. For further clarification, Annex B of S17L1-004 has a Concordance Table of all items requiring submission.

Enbridge Pipelines (NW) Inc. shall adhere to the commitments made in their responses to reviewer comments dated January 25, 2018. The full cooperation of Enbridge is anticipated and appreciated. If you have any questions or concerns, please contact Sabrina Sturman at (867) 598-2413 ex 224 or email at sabrina.sturman@slwb.com.

Yours sincerely,



Philippe di Pizzo
A/Chair, Sahtu Land and Water Board

Attachments:

S17P-005 Cover Page and Conditions
S17L1-004 Cover Page and Conditions
Board Reasons for Decision

Copied to:
Peter Cushman, Enbridge
Tulita District Distribution List