



**Karin Schmidt**  
Sr. Advisor  
Law, Regulatory Affairs

tel 403-231-3948  
fax 403-767-  
[karin.schmidt@enbridge.com](mailto:karin.schmidt@enbridge.com)

**Enbridge**  
200, 425 – 1<sup>st</sup> Street SW  
Calgary, AB T2P 3L8  
Canada

December 15, 2020

**E-FILE**

Sahtu Land and Water Board  
Box 1  
Fort Good Hope, NT  
X0E 0H0

**Attention: Ms. Bonnie Bergsma  
Regulatory Specialist – Sahtu Land and Water Board**

Dear Ms. Bergsma,

**Re: Enbridge Pipelines (NW) Inc. (“Enbridge”)  
Line 21 KP 158 Pipe Replacement at Little Smith Creek (“Project”)  
Sahtu Land & Water Board (“SLWB”)  
Land Use Permit - Permit No. S20P-003 (“Permit”)  
Condition 69 - Environmental Protection Plan (“EPP”)  
Revised EPP**

Enbridge submitted its EPP to the SLWB on November 24, 2020. The EPP was required by condition 69 of the Permit, and was submitted for Board approval on November 25, 2020, prior to commencement of Project activities in December 2020. The SLWB posted the EPP for comments and attached is Enbridge’s response to the comments and recommendations provided by Reviewers.

Should you have any questions or concerns, please contact me at (403) 231-3948 or by e-mail at [karin.schmidt@enbridge.com](mailto:karin.schmidt@enbridge.com).

Sincerely,

Karin Schmidt  
Sr. Advisor