

Sean Joseph

From: Rusk, Bridget (AADNC/AANDC) <bridget.rusk@canada.ca>
Sent: Wednesday, May 19, 2021 10:14 AM
To: Sean Joseph
Subject: RE: MV2016L8-0004 - BMR Amendment Application

Categories: Red Category

Hi Sean,

Thank you for the prompt, apologies for missing your initial email, it has been a very busy time here and I am sorry that I did not catch the original email on April 23rd.

The total metals will continue as indicated in the current Water License:

- Total elemental analysis by ICP-Metal Scan of: ICP-MS 24 element scan: includes all elements in Total Metals plus Antimony (Sb), Arsenic (As), Barium (Ba), Bismuth (Bi), Cesium (Cs), Chromium (Cr), Lithium (Li), Thallium (Tl), Titanium (Ti), Uranium (U), & Vanadium (V).

The dissolved metals will include the laboratory analysis "Dissolved Metals in Water by CRC ICPMS" and be consistent with the submission of dissolved metals results submitted in the LTM Annual Report for Years 1 & 2.

Regards,
Bridget Rusk
(867) 446-5074

From: Sean Joseph <sJoseph@mvlwb.com>
Sent: Tuesday, May 18, 2021 11:42 AM
To: Rusk, Bridget (AADNC/AANDC) <bridget.rusk@canada.ca>
Subject: MV2016L8-0004 - BMR Amendment Application

Good morning, Bridget,

Could you please confirm when the information requested in the email below would be provided.

Regards,
Sean

From: Sean Joseph
Sent: Friday, April 23, 2021 2:51 PM
To: Rusk, Bridget (AADNC/AANDC) <bridget.rusk@canada.ca>
Subject: FW: MV2016L8-0004 - BMR Amendment Application

Hi Bridget,

Thanks for the follow-up call today.

Could you also confirm what analyses, if any, that CIRNAC-CARD is proposing for total and dissolved metals.

Regards,
Sean

From: Sean Joseph
Sent: Wednesday, April 21, 2021 10:21 AM
To: Rusk, Bridget (AADNC/AANDC) <bridget.rusk@canada.ca>
Subject: MV2016L8-0004 - BMR Amendment Application

Good morning, Bridget:

Could you please confirm whether affected communities have been informed of the above-mentioned amendment application. If your response is yes, please provide written details about which parties were informed, when they were informed, and any follow-up actions taken/required, as this information seems absent from the 2020 Annual Water Licence Report.

Regards,

Sean Joseph, Regulatory Specialist
Mackenzie Valley Land and Water Board
7th Floor, 4922 48th St. | PO Box 2130 | Yellowknife, NT | Canada | X1A 2P6
ph 867.669.0506 | Cell 867-444-8463 | fax 867.873.6610
sjoseph@mvlwb.com | www.mvlwb.com

Please note: All correspondence to the Board, including emails, letters, faxes, and attachments are public documents and may be posted to the Public Registry.

