

From: [Wendy Bidwell](#)
To: [Director Public Works \(pwsdirector@hayriver.com\)](mailto:pwsdirector@hayriver.com)
Cc: [Erica Janes](#)
Subject: FW: Construction Material Sources Requiring Inspector Authorization
Date: Tuesday, February 9, 2021 9:01:42 PM
Importance: High

FYI below - Resending email as I received a bounce back email that it failed to deliver. Please let me know if you receive this.

Regards,

Wendy

Mársı | Kinanāskomitin | Thank you | Merci | Hąı' | Quana | Qujannamiik | Quyanainni | Máhsı | Máhsı | Mahsi

Wendy Bidwell

Pronouns: she/her/hers

Water Resource Officer

South Slave Region

Department of Environment and Natural Resources

Government of the Northwest Territories

Highway #5

PO Box 900

Fort Smith, NT X0E 0P0

Phone: 867-872-6421

Cell: 867-446-3775

Fax: 867-872-4250

www.gov.nt.ca

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please delete it immediately and notify us by telephone. Thank you.

From: Wendy Bidwell
Sent: Tuesday, February 09, 2021 4:18 PM
To: Director Public Works (pwsdirector@hayriver.com)
Cc: ejanes@mvlwb.com; 'Heather Scott' (heather.scott@mvlwb.com); Albert Bourque
Subject: Construction Material Sources Requiring Inspector Authorization
Importance: High

Good afternoon Mike,

Further to our new licence follow-up discussions, and as per Part E, Item 3 of licence MV2019L3-0010, I want to clarify that Inspector authorization is *only* required for earthworks and major construction projects involving Engineered Structures. An authorization request email sent to the Inspector that denotes construction material sources will suffice. Authorization will be sent to the Town once the Inspector is satisfied that clean, contaminant free materials are being sourced and used.

If you have any questions or require further clarification regarding the above, please don't hesitate to contact me.

Regards,

Wendy

Mársı | Kinanāskomitin | Thank you | Merci | Hǵı' | Quana | Qujannamiik | Quyanainni | Máhsı | Máhsı | Mahsi
Wendy Bidwell

Pronouns: she/her/hers

Water Resource Officer

South Slave Region

Department of Environment and Natural Resources

Government of the Northwest Territories

Highway #5

PO Box 900

Fort Smith, NT X0E 0P0

Phone: 867-872-6421

Cell: 867-446-3775

Fax: 867-872-4250

www.gov.nt.ca

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please delete it immediately and notify us by telephone. Thank you.