


As, Be, B, Cd, Cu, Fe, Mn, Hg, U, Zn

Aluminum

Aluminum (Al)	SNP 0053-5b (BH)	SNP 0053-7A
May 24, 2013	0.048	11.1
August 19, 2013	1.71	0.967
October 11, 2013	0.204	0.69
May 28, 2014	35.9	130
September 11, 2014	33.7	11
June 23, 2016	0.96	0.246
September 24, 2016	0.166	2.35
June 27, 2017	0.31	0.5
September 20, 2017	0.49	0.055
* March 16, 2019 - KBL	2.2	3.7
* March 23, 2019 - KBL	3.8	5.3
* March 24, 2019 - ENR		5.23



Arsenic	SNP 0053-5b (E)	SNP 0053-7A	SNP 0053-7B	SNP 0053-7C	SNP 0053-7D	SNP 0053-5c (E)	SNP 0053-5d (E)	SNP 0053-5e (E)
May 24, 2013			0.0004	0.00118	0.0744	0.001		0.164
August 19, 2013			0.0004	0.00117	0.0617	0.001		0.197
October 11, 2013			0.0004	0.00611	0.0654	0.001		0.264
May 28, 2014				0.32		0.018		0.42
September 11, 2014				0.019		0.0011		0.18
June 23, 2016			0.00025	0.00106	0.0731	0.0002		0.311
September 24, 2016			0.00026	0.00087	0.0753	0.0002	0.0001	0.257
June 27, 2017			0.0006	0.00049	0.061	0.001		0.19
September 20, 2017			0.0006	0.00043	0.07	0.001		0.21
* March 24, 2019 - KBL			0.0022	0.037	1.2	0.0025		0.18
* March 24, 2019 - ENR			0.0007	0.0095	0.225	0.0006		



Beryllium (Be)	SNP 0053-5b (E)	SNP 0053-7A	SNP 0053-7B	SNP 0053-7C	SNP 0053-7D	SNP 0053-5c (E)	SNP 0053-5d (E)	SNP 0053-5e (E)
----------------	-----------------	-------------	-------------	-------------	-------------	-----------------	-----------------	-----------------

May 24, 2013		0.00161	0.0176	0.74	0.0025		0.327
August 19, 2013		0.00122	0.017	0.367	0.001		0.281
October 11, 2013		0.00155	0.022	1.42	0.0025		0.399
June 23, 2016		0.00114	0.00903	0.108	0.0002		0.369
September 24, 2016		0.00077	0.00301	0.432	0.0002	0.0001	0.42
June 27, 2017		0.0012	0.02	0.48	0.001		0.34
September 20, 2017		0.00065	0.0053	0.36	0.001		0.57



	SNP 0053-5b (B)	SNP 0053-7A	SNP 0053-7B	SNP 0053-7C	SNP 0053-7D	SNP 0053-5c (B)	SNP 0053-5d (B)	SNP 0053-5e (B)
Boron (B)								
May 24, 2013			0.001	0.0015	0.0438	0.005		0.41
August 19, 2013			0.001	0.001	0.0414	0.005		0.41
October 11, 2013			0.001	0.0104	0.0437	0.005		0.63
May 28, 2014				0.14		0.01		0.57
September 11, 2014				0.0077		0.01		0.49
June 23, 2016			0.001	0.001	0.0439	0.001		0.8
September 24, 2016			0.001	0.001	0.0314	0.0314	0.00109	0.44
June 27, 2017			0.0006	0.0005	0.028	0.001		0.52
September 20, 2017			0.0006	0.00061	0.028	0.001		0.57
* March 18, 2019 - KBL			0.0015	0.0091	0.22	0.001		0.51
* March 24, 2019 - KBL								
* March 24, 2019 - ENR			0.0006	0.0333	0.641	0.002		

	SNP 0053-5b (BH-1) Assumed Upstream	SNP 0053-7A	SNP 0053-7B	SNP 0053-7C	SNP 0053-7D	SNP 0053-5c (BH-2)	SNP 0053-5d (BH-3)	SNP 0053-5e (BH-4)
Cadmium (Cd)								
May 24, 2013			0.001	0.0015	0.0438	0.005		0.41

August 19, 2013	0.001	0.001	0.0414	0.005		0.41
October 11, 2013	0.001	0.0104	0.0437	0.005		0.63
May 28, 2014		0.14		0.01		0.57
September 11, 2014		0.0077		0.01		0.49
June 23, 2016	0.001	0.001	0.0439	0.001		0.8
September 24, 2016	0.001	0.001	0.0314	0.0314	0.00109	0.44
June 27, 2017	0.0006	0.0005	0.028	0.001		0.52
September 20, 2017	0.0006	0.00061	0.028	0.001		0.57
* March 18, 2019 - KBL	0.0015	0.0091	0.22	0.001		0.51
* March 24, 2019 - KBL						
* March 24, 2019 - ENR	0.0006	0.0333	0.641	0.002		

Cadmium (Cd)	SNP 0053-5b (BH-1) Assumed Upstream	SNP 0053-7A	SNP 0053-7B	SNP 0053-7C	SNP 0053-7D	SNP 0053-5c (BH-2)	SNP 0053-5d (BH-3)	SNP 0053-5e (BH-4)
May 24, 2013			0.001	0.0015	0.0438	0.005		0.41
August 19, 2013			0.001	0.001	0.0414	0.005		0.41
October 11, 2013			0.001	0.0104	0.0437	0.005		0.63
May 28, 2014				0.14		0.01		0.57
September 11, 2014				0.0077		0.01		0.49
June 23, 2016			0.001	0.001	0.0439	0.001		0.8
September 24, 2016			0.001	0.001	0.0314	0.0314	0.00109	0.44
June 27, 2017			0.0006	0.0005	0.028	0.001		0.52
September 20, 2017			0.0006	0.00061	0.028	0.001		0.57
* March 18, 2019 - KBL			0.0015	0.0091	0.22	0.001		0.51
* March 24, 2019 - KBL								
* March 24, 2019 - ENR			0.0006	0.0333	0.641	0.002		


Copper (Cu)	SNP 0053-5b (BH-1) Assumed Upstream	SNP 0053-7A	SNP 0053-7B	SNP 0053-7C	SNP 0053-7D	SNP 0053-5c (BH-2)	SNP 0053-5d (BH-3)	SNP 0053-5e (BH-4)
May 24, 2013			0.001	0.0015	0.0438	0.005		0.41
August 19, 2013			0.001	0.001	0.0414	0.005		0.41
October 11, 2013			0.001	0.0104	0.0437	0.005		0.63
May 28, 2014				0.14		0.01		0.57
September 11, 2014				0.0077		0.01		0.49
June 23, 2016			0.001	0.001	0.0439	0.001		0.8
September 24, 2016			0.001	0.001	0.0314	0.0314	0.00109	0.44
June 27, 2017			0.0006	0.0005	0.028	0.001		0.52
September 20, 2017			0.0006	0.00061	0.028	0.001		0.57
* March 18, 2019 - KBL			0.0015	0.0091	0.22	0.001		0.51
* March 24, 2019 - KBL								
* March 24, 2019 - ENR			0.0006	0.0333	0.641	0.002		

Manganese (Mn)	SNP 0053-5b (BH-1) Assumed Upstream	SNP 0053-7A	SNP 0053-7B	SNP 0053-7C	SNP 0053-7D	SNP 0053-5c (BH-2)	SNP 0053-5d (BH-3)	SNP 0053-5e (BH-4)
May 24, 2013			0.001	0.0015	0.0438	0.005		0.41
August 19, 2013			0.001	0.001	0.0414	0.005		0.41
October 11, 2013			0.001	0.0104	0.0437	0.005		0.63
May 28, 2014				0.14		0.01		0.57
September 11, 2014				0.0077		0.01		0.49
June 23, 2016			0.001	0.001	0.0439	0.001		0.8
September 24, 2016			0.001	0.001	0.0314	0.0314	0.00109	0.44

May 24, 2013	0.001	0.0015	0.0438	0.005		0.41
August 19, 2013	0.001	0.001	0.0414	0.005		0.41
October 11, 2013	0.001	0.0104	0.0437	0.005		0.63
May 28, 2014		0.14		0.01		0.57
September 11, 2014		0.0077		0.01		0.49
June 23, 2016	0.001	0.001	0.0439	0.001		0.8
September 24, 2016	0.001	0.001	0.0314	0.0314	0.00109	0.44
June 27, 2017	0.0006	0.0005	0.028	0.001		0.52
September 20, 2017	0.0006	0.00061	0.028	0.001		0.57
* March 18, 2019 - KBL	0.0015	0.0091	0.22	0.001		0.51
* March 24, 2019 - KBL						
* March 24, 2019 - ENR	0.0006	0.0333	0.641	0.002		

Manganese (Mn)	SNP 0053-5b (BH-1) Assumed Upstream	SNP 0053-7A	SNP 0053-7B	SNP 0053-7C	SNP 0053-7D	SNP 0053-5c (BH-2)	SNP 0053-5d (BH-3)	SNP 0053-5e (BH-4)
May 24, 2013			0.001	0.0015	0.0438	0.005		0.41
August 19, 2013			0.001	0.001	0.0414	0.005		0.41
October 11, 2013			0.001	0.0104	0.0437	0.005		0.63
May 28, 2014				0.14		0.01		0.57
September 11, 2014				0.0077		0.01		0.49
June 23, 2016			0.001	0.001	0.0439	0.001		0.8
September 24, 2016			0.001	0.001	0.0314	0.0314	0.00109	0.44
June 27, 2017			0.0006	0.0005	0.028	0.001		0.52
September 20, 2017			0.0006	0.00061	0.028	0.001		0.57
* March 18, 2019 - KBL			0.0015	0.0091	0.22	0.001		0.51
* March 24, 2019 - KBL								
* March 24, 2019 - ENR			0.0006	0.0333	0.641	0.002		

um



Cadmium (Cd)	Cesium (Cs)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Iron (Fe)	Lead (Pb)	Lithium (Li)	Manganese (Mn)	Mercury (Hg)	Molybdenum (Mo)	Nickel (Ni)	Rubidium (Rb)
0.000556		0.005	0.002	0.0048	1.68	0.00078	0.028	0.395	0.0001	0.005	0.0097	
0.000106		0.005	0.0046	0.0031	0.952	0.00041	0.027	0.56	0.0001	0.005	0.0086	
0.000152		0.005	0.002	0.0022	0.943	0.00042	0.035	0.0978	0.0001	0.005	0.0058	
23		0.47	0.35	1.4	1000	0.4		14	0.000005	0.028	1.3	
2.6		0.02	0.018	0.057	35	0.018		1.8	0.000005	0.0029	0.059	
0.00059		0.0004	0.0015	0.002	1.03	0.00022	0.0433	0.277	0.000005	0.0004	0.0053	
0.000094	2.3E-05	0.0003	0.002	0.0016	0.652	0.00019	0.0328	0.0003	0.000005	0.0003	0.0063	0.0032
0.00011		0.001	0.0014	0.0024	0.42	0.0002	0.025	0.25	0.000002	0.0002	0.0051	
0.000096		0.001	0.0007	0.0017	0.25	0.0002	0.025	0.26	0.000002	0.0003	0.0052	
0.0048		0.06	0.035	0.19		0.047	0.089	2	0.00025	0.0049	0.14	
0.0011	0.0011	0.0108	0.007	0.0267	19.1	0.0093	0.0325	0.717	0.0207	0.0018	0.0277	0.0159
Cadmium (Cd)	Cesium (Cs)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Iron (Fe)	Lead (Pb)	Lithium (Li)	Manganese (Mn)	Mercury (Hg)	Molybdenum (Mo)	Nickel (Ni)	Rubidium (Rb)

0.000144		0.05	0.0494	0.0067	110	0.00243	0.025	3.4	0.0001	0.005	0.0724	
0.000111		0.05	0.0358	0.0045	99.9	0.00131	0.024	4.29	0.0001	0.005	0.0326	
0.000061		0.05	0.0205	0.0028	99.1	0.00098	0.025	3.01	0.0001	0.005	0.0244	
0.000073		0.001	0.0107	0.0068	107	0.00117	0.0248	1.9	0.000005	0.0008	0.0207	
0.000031	0.00002	0.0008	0.0037	0.0022	65	0.00041	0.0163	1.53		0.0003	0.0076	0.0042
0.000049		0.0012	0.019	0.0063	140	0.0009	0.02	1.7	0.0000063	0.0017	0.029	
0.00002		0.0014	0.0024	0.0015	100	0.00024	0.023	1.3	0.0000022	0.0003	0.0094	



Cadmium (Cd)	Cesium (Cs)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Iron (Fe)	Lead (Pb)	Lithium (Li)	Manganese (Mn)	Mercury (Hg)	Molybdenum (Mo)	Nickel (Ni)	Rubidium (Rb)
0.00039		0.0059	0.002	0.0046	2.61	0.00091	0.21	0.18	0.0001	0.005	0.024	
0.0005		0.005	0.002	0.0049	1.63	0.00089	0.151	0.329	0.0001	0.005	0.0213	
0.00034		0.005	0.002	0.0035	0.27	0.0005	0.24	0.232	0.0001	0.005	0.0209	
0.011		0.23	0.14	0.44	420	0.17		7.8	0.000005	0.021	0.53	
0.002		0.011	0.011	0.025	14	0.01		1.2	0.000005	0.002	0.055	
0.000227		0.001	0.0012	0.005	1.02	0.0005	0.204	0.0555	0.000005	0.0008	0.0187	
0.000174	0.00015	0.0013	0.0015	0.005	0.98	0.0005	0.213	0.639	0.00113	0.0011	0.0219	0.0031
0.00025		0.001	0.0007	0.0073	0.26	0.0002	0.17	0.075	0.000002	0.0006	0.017	
0.00042		0.001	0.0011	0.0043	0.41	0.0002	0.2	0.21	0.000002	0.0007	0.021	
0.0024		0.012	0.011	0.03		0.0087	0.21	0.9	0.000046	0.0029	0.05	
0.0023	0.0037	0.0539	0.0284	0.0802	84.3	0.033	0.209	1.72	0.0598	0.0061	0.12	0.0547

0.00094		0.0001				0.00025		0.05	0.0032		0.0042	0.0021	0.02
0.00069		0.0001				0.0001		0.05	0.0045		0.0034	0.003	0.041
0.00096		0.0001				0.00025		0.05	0.0022		0.0005	0.0033	0.022
0.00051		0.000041				0.00002		0.0006	0.0018		0.0134	0.0015	0.041
0.00037	9.27	0.00002	0.511	9.3	0.0004	0.00002	0.0002	0.0006	0.002	0.0002	0.0009	0.0013	0.0104
0.00064	8.1	0.0001	0.8	41		0.0002		0.001	0.0014		0.01	0.0018	0.027
0.00063	10	0.0001	0.66	9.2		0.0002		0.0012	0.0024		0.0018	0.0012	0.02



Selenium (Se)	Silicon (Si)	Silver (Ag)	Strontium (Sr)	Sulfur (S)	Tellurium (Te)	Thallium (Tl)	Thorium (Th)	Tin (Sn)	Titanium (Ti)	Tungsten (W)	Uranium (U)	Vanadium (V)	Zinc (Zn)
0.001		0.0001				0.0005		0.05	0.0917		0.0339	0.0044	0.03
0.001		0.0001				0.0005		0.05	0.0207		0.042	0.0021	0.035
0.001		0.0001				0.0005		0.05	0.003		0.063	0.001	0.03
0.0085		0.004	4.4									0.29	1.6
0.002		0.001	2.7									0.02	0.082
0.0005		0.0001				0.0001		0.001	0.0096		0.0416	0.005	0.03
0.0005	7.55	0.0001	3.17	610	0.002	0.0001	0.001	0.001	0.0024	0.001	0.0417	0.005	0.03
0.0016	5.5	0.0001	2	230		0.0002		0.001	0.0018		0.05	0.0011	0.013
0.00047	6.9	0.0001	2.1	280		0.0002		0.001	0.0043		0.042	0.0017	0.0033
0.0009	0.29	0.00028	2.1	410		0.0002		0.0001	0.15		0.031	0.019	0.11
0.004		0.0007	2.69			0.0007			0.333		0.0317	0.0743	0.313

Table 9 - Data compilation to support GW Trend Analyses

SNP 0053-7A (MW01A)

Parameters (mg/L)	pH	Alkalinity, Total	Conductivity (µS/cm)	Total Dissolved Solids (TDS)	Total Suspended Solids (TSS)
October 6, 2010	8.1	441	1,340	887	
June 8, 2011	7.8		1060	689	
August 20, 2011	7.78		1170	758	
October 15, 2011	7.77		973		
May 24, 2013	7.92		851	553	
August 19, 2013	7.46		1150	745	
October 11, 2013	8.15		1040	679	
May 28, 2014	7.11		860		
September 11, 2014	6.47				
June 30, 2015	10.35		322		
September 29, 2015	7.1		540		
June 23, 2016	7.54		1490		10.7
September 24, 2016	7.84		1450		65.3
June 27, 2017	7.42		1400		
September 20, 2017	7.63		1500		
March 16, 2019 - KBL (Fire)	7.77	380	1400		
March 19, 2019 - KBL (Fire)					
March 24, 2019 - KBL (Fire)	7.75	330	1500	810	
March 24, 2019 - ENR (Fire)	7.50	355	1460	876	1550

SNP 0053-7B (MW01B)

Parameters (mg/L)	pH	Alkalinity, Total	Conductivity (µS/cm)	Total Dissolved Solid	Total Suspended Solids
October 6, 2010	8.18	424	1210	702	
June 8, 2011	7.76	424	1230	798	
August 20, 2011	7.67		2530	1650	
October 15, 2011	7.68		1200	781	
May 24, 2013	7.63		1700	1100	
August 19, 2013	7.18		1480	962	

October 11, 2013	8.09		1320	856	
May 28, 2014	6.87		1159		
September 11, 2014	6.74				
June 30, 2015	9.57		700		
September 29, 2015	6.6		882		
June 23,2016	7.33		1660		15.8
September 24, 2016	7.57		1720		13
June 27, 2017	7.17		1600		
September 20, 2017	7.27		1600		
March 16, 2019 - KBL (Fire)	7.63	430	1700		
March 19, 2019 - KBL (Fire)					
March 24, 2019 - KBL (Fire)					
March 24, 2019 - ENR (Fire)	7.37	406	1710	986	1250

SNP 0053-7C (MW01C)

Parameters (mg/L)	pH	Alkalinity, Total	Conductivity (µS/c)	Total Dissolved So	Total Suspended S
October 6, 2010	7.77	1690	3550	2000	
May 24, 2013	7.07		3210	2080	
August 19, 2013	6.86		2430	1580	
October 11, 2013	7.8		2740	1780	
May 28, 2014	6.84		2586		
September 11, 2014					
June 30, 2015	10.2		2190		
September 29, 2015	6.57		2384		
June 23,2016	6.76		2470		234
September 24, 2016	7.43		1850		168
June 27, 2017	6.92		2800		
September 20, 2017	7		2500		
March 16, 2019 - OBSTRUCTED					

SNP 0053-7D (MW01D)

Parameters (mg/L)	pH	Alkalinity, Total	Conductivity (µS/c)	Total Dissolved So	Total Suspended S
October 6, 2010	7.96	928	6770	4290	
June 8, 2011	7.58		7140	4640	
August 20, 2011	7.57		6960	4520	
October 15, 2011	7.53		7400	4810	

May 24, 2013	7.59		6990	4550	
August 19, 2013	7.13		5890	3830	
October 11, 2013	8.07		6080	3950	
May 28, 2014	6.9		5235		
September 11, 2014	6.56				
June 30, 2015	10.97		5736		
September 29, 2015	6.61		4202		
June 23, 2016	7.28		5730		10.7
September 24, 2016	7.64		6610		25.3
June 27, 2017	7.13		5800		
September 20, 2017	7.29		5900		
March 16, 2019 - KBL (Fire)	7.47	520	5900		
March 19, 2019 - KBL (Fire)					
March 24, 2019 - KBL (Fire)					
March 24, 2019 - ENR (Fire)	7.27	528	5960	4080	660

at SNP 0053-7 A, B, C, D

Major ions

	Calcium (Ca)	D - Calcium (Ca)	Chloride (Cl)	Fluoride (F)	Hardness (as CaCo3)	Hydroxide (OH)	Magnesium (Mg)	D - Magnesium (Mg)	Nitrate and Nitrite (as N)
October 6, 2010		198	36.7		769	5		66.6	0.123
June 8, 2011	143	142	23.3				45.4	47.3	
August 20, 2011	427	128	70.9				74.1	48.4	
			15.8						
May 24, 2013	228	110	20.7				48.7	38.2	
August 19, 2013	165	153	20.6				56.7	51	
October 11, 2013	181	160	22.2				60.8	55.8	
May 28, 2014									
September 11, 2014									
June 30, 2015									
September 29, 2015									
June 23, 2016	183	171					59.4	60.5	
September 24, 2016	202	153					56.7	55.7	
June 27, 2017	150	160					56	60	
September 20, 2017	160	190					61	66	
March 16, 2019 - KBL (Fire)	190	160				1	65	59	1.3
March 19, 2019 - KBL (Fire)									
March 24, 2019 - KBL (Fire)	270000	150				1	72	57	
March 24, 2019 - ENR (Fire)	145		207	0.4	587		54.8		1.05

	Calcium (Ca)	D - Calcium (Ca)	Chloride (Cl)	Fluoride (F)	Hardness (as CaCo3)	Hydroxide (OH)	Magnesium (Mg)	D - Magnesium (Mg)	Nitrate and Nitrite (a)
October 6, 2010		145	84.2		562	5		48.5	0.071
June 8, 2011	144	147	99.6				44.4	47.2	
August 20, 2011	372	200	358				133	122	
October 15, 2011	628	167	93.8				94.7	54.1	
May 24, 2013	194	188	142				68.8	69.4	
August 19, 2013	195	187	74.1				65	58.1	

October 11, 2013	205	185	90.3				61.6	59.3	
May 28, 2014									
September 11, 2014									
June 30, 2015									
September 29, 2015									
June 23, 2016	242	197					71.9	66.8	
September 24, 2016	228	206					67.2	67.1	
	190	210					61	69	
	180	220					60	66	
March 16, 2019 - KBL (Fire)	660	180				1	130	63	
March 19, 2019 - KBL (Fire)									
March 24, 2019 - KBL (Fire)									
March 24, 2019 - ENR (Fire)	163		258	0.3	645		58.1		0.81



	Calcium (Ca)	D - Calcium (Ca)	Chloride (Cl)	Fluoride (F)	Hardness (as CaCO ₃)	Hydroxide (OH)	Magnesium (Mg)	D - Magnesium (Mg)	Nitrate and Nitrite
October 6, 2010		289	286		1480			185	0.071
May 24, 2013	255	258	206				135	127	
August 19, 2013	214	170	137				100	87.6	
October 11, 2013	232	213	242				127	125	
May 28, 2014									
September 11, 2014									
June 30, 2015									
September 29, 2015									
June 23, 2016	319	278					129	132	
September 24, 2016	184	172					78.8	88.1	
June 27, 2017	280	290					150	160	
September 20, 2017	260	290					130	140	
March 16, 2019 - OBSTRUCTED									



	Calcium (Ca)	D - Calcium (Ca)	Chloride (Cl)	Fluoride (F)	Hardness (as CaCO ₃)	Hydroxide (OH)	Magnesium (Mg)	D - Magnesium (Mg)	Nitrate and Nitrite
October 6, 2010		385	1270		2830	5		454	0.213
June 8, 2011	1230	544	1360				474	527	
August 20, 2011	562	484	1360				389	440	
October 15, 2011	841	449	1500				530	467	

May 24, 2013	389	399	1480				394	411
August 19, 2013	309	303	1170				307	303
October 11, 2013	375	325	1340				401	387
May 28, 2014								
September 11, 2014								
June 30, 2015								
September 29, 2015								
June 23, 2016	278	254					287	291
September 24, 2016	503	449					382	394
June 27, 2017	260	280					300	330
September 20, 2017	280	310					300	300
March 16, 2019 - KBL (Fire)	410	350				1	330	300
March 19, 2019 - KBL (Fire)								
March 24, 2019 - KBL (Fire)								
March 24, 2019 - ENR (Fire)	356		1140	0.4	2110		298	0.95

Phosphorus (Total)	Potassium (K)	D - Potassium	Sodium (Na)	D - Sodium (Na)	Sulfate (SO4)
		6.65		28.2	286
	2.35	2.72	21.7	23.4	235
	9.77	2.54	34.2	36.2	195
			23.3	23.4	191
	3.9	1.8	15.1	16.5	162
	3.3	3.04	24	19.7	192
	3.39	2.88	20.8	19.5	216
	6.31		69.2		
0.05	5.98		63.3		
0.1	5.7		61		
0.1	6.6		65		
0.26	9.7		65		
0.77	8.7	8.7	70		
	6.7		70.2		107

Phosphorus (Total)	Potassium	D - Potassium	Sodium (Na)	D - Sodium (Na)	Sulfate (SO4)
		5.25		42.3	122
	4.02	4.33	45.6	49.7	132
	11.3	5.17	111	128	412
	11.5	5.06	46.2	51.3	156
	4.23	4.22	80.5	81.9	245
	4.19	4.02	58.3	47.5	197

	8.91	9.42	656	673	1230
	7.67	8.07	600	562	874
	7.94	7.93	568	560	1050
	9.81		752		
0.5	10.1		519		
0.1	8.9		660		
0.1	9.1		680		
0.56	14		640		
	10.3		570		1140

Table 10 - Data compilation to support GW Trend Analyses at SNP 0053-7 A

SNP 0053-7A (MW01A)

Parameters (mg/L)	Aluminum (Al)	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Bismuth (Bi)	Boron (B)	Cadmium Cd)
October 6, 2010	120		0.0444		0.0093		5	0.0122
June 8, 2011	0.01	0.0004	0.0004	0.0385	0.001		0.079	0.000396
20-Aug-11	32.7	0.00057	0.0435	0.75	0.0025		0.182	0.0034
15-Oct-11	77.7	0.00086	0.0648	2.68	0.0058		0.176	0.00623
May 24, 2013	11.1	0.0042	0.0137	0.41	0.001		0.076	0.000855
August 19, 2013	0.967	0.0004	0.00097	0.0608	0.001		0.101	0.00009
October 11, 2013	0.69	0.0004	0.00597	0.0686	0.001		0.117	0.000122
May 28, 2014	130		0.21		0.013		0.25	0.011
September 11, 2014	11		0.016		0.0011		0.12	0.00094
June 30, 2015	22.1		0.0224		0.00153		0.086	0.00177
September 29, 2015	18		0.0186		0.00108		0.107	0.0008
June 23,2016	0.246	0.0001	0.00054	0.0712	0.0001		0.17	0.0000823
September 24, 2016	2.35	0.0003	0.00128	0.0859	0.00011	0.00031	0.167	0.0000894
June 27, 2017	0.5	0.0006	0.0007	0.068	0.001		0.14	0.000048
September 20, 2017	0.055	0.0006	0.00024	0.073	0.001		0.17	0.000031
March 16, 2019 - KBL (Fire)	3.7	0.0011	0.0056	0.21	0.001		0.21	0.00039
March 23, 2019 - KBL (Fire)	5.3	0.00078	0.0092	0.29	0.001		0.21	0.00053
March 24, 2019 - ENR (Fire)	5.23	0.0003	0.0063	0.199	0.0003			0.0005

SNP 0053-7B (MW01B)

Parameters (mg/L)	Aluminum (Al)	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Bismuth (Bi)	Boron (B)	Cadmium Cd)
October 6, 2010	118		0.0363		0.0091		5	0.0146
June 8, 2011	0.01	0.0004	0.0004	0.0521	0.001		0.182	0.000213
August 20, 2011	42.4	0.00087	0.059	0.932	0.0029		0.282	0.00695
October 15, 2011	40.3	0.00065	0.0376	1.53	0.0031		0.253	0.00725
May 24, 2013	0.871	0.0004	0.00118	0.0744	0.001		0.164	0.000556
August 19, 2013	0.244	0.0004	0.00117	0.0617	0.001		0.197	0.000106
October 11, 2013	0.237	0.0004	0.00611	0.0654	0.001		0.264	0.000152
May 28, 2014	170		0.32		0.018		0.42	23
September 11, 2014	10		0.019		0.0011		0.18	2.6
June 30, 2015	47.4		0.0302		0.00393		0.154	6.37
September 29, 2015	23		0.0315		0.00152		0.218	1.59
June 23,2016	0.164	0.00025	0.00106	0.0731	0.0002		0.311	0.00059

September 24, 2016	0.0978	0.00026	0.00087	0.0753	0.0002	0.0001	0.257	0.000094
June 27, 2017	0.022	0.0006	0.00049	0.061	0.001		0.19	0.00011
September 20, 2017	0.046	0.0006	0.00043	0.07	0.001		0.21	0.000096
March 24, 2019 - KBL (Fire)	26	0.0022	0.037	1.2	0.0025		0.18	0.0048
March 24, 2019 - ENR (Fire)	5.64	0.0007	0.0095	0.225	0.0006			0.0011

SNP 0053-7C (MW01C)

Parameters (mg/L)	Aluminum (Al)	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Bismuth (Bi)	Boron (B)	Cadmium (Cd)
October 6, 2010	137		0.0583		0.011		5	0.0204
May 24, 2013								
August 19, 2013								
October 11, 2013								
May 24, 2013	0.144	0.00161	0.0176	0.74	0.0025		0.327	0.000144
August 19, 2013	0.161	0.00122	0.017	0.367	0.001		0.281	0.000111
October 11, 2013	0.064	0.00155	0.022	1.42	0.0025		0.399	0.000061
September 29, 2015	0.456		0.0188		0.0005		0.426	0.000079
June 23, 2016	0.0918	0.00114	0.00903	0.108	0.0002		0.369	0.000073
September 24, 2016	0.0817	0.00077	0.00301	0.432	0.0002	0.0001	0.42	0.000031
June 27, 2017	0.059	0.0012	0.02	0.48	0.001		0.34	0.000049
September 20, 2017	0.063	0.00065	0.0053	0.36	0.001		0.57	0.00002

SNP 0053-7D (MW01D)

Parameters (mg/L)	Aluminum (Al)	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Bismuth (Bi)	Boron (B)	Cadmium (Cd)
October 6, 2010	68.7		0.0946		0.02		5	0.0092
June 8, 2011	0.686	0.0008	0.00201	0.131	0.002		0.38	0.00834
August 20, 2011	27.5	0.0008	0.0366	0.647	0.002		0.37	0.00279
October 15, 2011	42.9	0.00091	0.0669	1.37	0.0028		0.488	0.00431
May 24, 2013	1.39	0.001	0.0015	0.0438	0.005		0.41	0.00039
August 19, 2013	0.595	0.001	0.001	0.0414	0.005		0.41	0.0005
October 11, 2013	0.105	0.001	0.0104	0.0437	0.005		0.63	0.00034
May 28, 2014	91		0.14		0.01		0.57	0.011
September 11, 2014	6.3		0.0077		0.01		0.49	0.002
June 30, 2015	28.8		0.0383		0.00189		0.304	0.00285
September 29, 2015	25.6		0.0307		0.00155		0.465	0.00164
June 23, 2016	0.328	0.001	0.001	0.0439	0.001		0.8	0.000227
September 24, 2016	0.796	0.001	0.001	0.0314	0.0314	0.00109	0.44	0.000174
June 27, 2017	7.13	0.0006	0.0005	0.028	0.001		0.52	0.00025
September 20, 2017	7.29	0.0006	0.00061	0.028	0.001		0.57	0.00042
* March 18, 2019 - KBL	5.8	0.0015	0.0091	0.22	0.001		0.51	0.0024

* March 19, 2019 - KBL								
* March 24, 2019 - KBL								
* March 24, 2019 - ENR	31	0.0006	0.0333	0.641	0.002			0.0023

A, B, C, D

	Cesium (Cs)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Iron (Fe)	Lead (Pb)	Lithium (Li)	Manganese (Mn)	Mercury (Hg)	Molybdenum (Mo)	Nickel (Ni)	Rubidium (Rb)	Selenium (Se)	Silicon (Si)
		0.259	0.194	0.678	503	0.211		10.4	0.0001	0.0049	0.677		0.0076	
		0.005	0.002	0.0023	0.01	0.0001	0.025	0.0294	0.0001	0.005	0.0029		0.0004	
		0.0653	0.0376	0.163	113	0.0487	0.079	1.72	0.0001	0.005	0.14		0.00349	
		0.17	0.109	0.418	307	0.13	0.178	6.4	0.0001	0.0069	0.35		0.00564	
		0.0183	0.0142	0.0521	35.4	0.0148	0.043	2.25	0.0001	0.005	0.0463		0.00132	
		0.005	0.002	0.0041	2.08	0.00092	0.03	0.241	0.0001	0.005	0.0053		0.0018	
		0.005	0.002	0.0048	2.3	0.00099	0.039	0.283	0.0001	0.005	0.0059		0.00178	
		0.35	0.26	1	700	0.3		17	0.005	0.026	0.85		0.016	
		0.02	0.017	0.06	37	0.019		1.6	0.005	0.0033	0.051		0.002	
		0.0434	0.0353	0.0886	77.6	0.0293		10.2	0.0623	0.0024	0.109		0.0027	
		0.0293	0.018	0.0627	46	0.023		2.08	0.106	0.0026	0.059		0.0018	
		0.0004	0.001	0.00301	0.805	0.00031	0.0336	0.495	0.000005	0.0009	0.00382		0.00014	
0.00034		0.0031	0.0012	0.00444	2.9	0.00125	0.0367	0.339	0.0000054	0.0009	0.00555		0.00058	
		0.001	0.0006	0.0036	1	0.00044	0.023	0.19	0.000002	0.0007	0.0027		0.00053	4.3
		0.001	0.0005	0.0015	0.27	0.0002	0.027	0.19	0.000002	0.0006	0.002		0.00068	4.7
		0.0066	0.0061	0.02		0.006	0.039	1.3	0.000019	0.0019	0.023		0.0019	29
		0.01	0.012	0.029		0.0098	0.037	1.6	0.000032	0.002	0.03		0.00091	16
0.001		0.0093	0.0072	0.0223	17.7	0.0075	0.0341	1.18	0.0082	0.0015	0.0248	0.0131	0.0011	

	Cesium (Cs)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Iron (Fe)	Lead (Pb)	Lithium (Li)	Manganese (Mn)	Mercury (Hg)	Molybdenum (Mo)	Nickel (Ni)	Rubidium (Rb)	Selenium (Se)	Silicon (Si)
		0.245	0.193	0.551	410	0.195		7.79	0.0001	0.003	0.734		0.0051	
		0.005	0.002	0.0011	0.01	0.0001		0.269	0.0001	0.005	0.0047		0.0004	
		0.0745	0.0413	0.179	128	0.0573		1.59	0.0001	0.0063	0.172		0.00334	
		0.0793	0.0468	0.215	162	0.0642		2.05	0.0001	0.005	0.197		0.00177	
		0.005	0.002	0.0048	1.68	0.00078	0.028	0.395	0.0001	0.005	0.0097		0.0004	
		0.005	0.0046	0.0031	0.952	0.00041	0.027	0.56	0.0001	0.005	0.0086		0.0004	
		0.005	0.002	0.0022	0.943	0.00042	0.035	0.0978	0.0001	0.005	0.0058		0.0004	
		0.47	0.35	1.4	1000	0.4		14	0.000005	0.028	1.3		0.01	
		0.02	0.018	0.057	35	0.018		1.8	0.000005	0.0029	0.059		0.00091	
		0.0927	0.0677	0.179	130	0.074		4.53	0.000736	0.0014	0.224		0.00097	
		0.0383	0.0223	0.091	60.5	0.0312		1.11	0.0000832	0.0034	0.0926		0.00143	
		0.0004	0.0015	0.002	1.03	0.00022	0.0433	0.277	0.000005	0.0004	0.0053		0.0001	

2.3E-05	0.0003	0.002	0.0016	0.652	0.00019	0.0328	0.0003	0.000005	0.0003	0.0063	0.0032	0.0001	7.26
	0.001	0.0014	0.0024	0.42	0.0002	0.025	0.25	0.000002	0.0002	0.0051		0.0002	5.1
	0.001	0.0007	0.0017	0.25	0.0002	0.025	0.26	0.000002	0.0003	0.0052		0.0002	6
	0.06	0.035	0.19		0.047	0.089	2	0.00025	0.0049	0.14		0.0021	61
0.0011	0.0108	0.007	0.0267	19.1	0.0093	0.0325	0.717	0.0207	0.0018	0.0277	0.0159	0.0013	

Cesium (Cs)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Iron (Fe)	Lead (Pb)	Lithium (Li)	Manganese (Mn)	Mercury (Hg)	Molybdenum (Mo)	Nickel (Ni)	Rubidium (Rb)	Selenium (Se)	Silicon (Si)
	0.273	0.313	0.535	462	0.277		17.1	0.0001	0.0051	0.817		0.0105	
	0.05	0.0494	0.0067	110	0.00243	0.025	3.4	0.0001	0.005	0.0724		0.00094	
	0.05	0.0358	0.0045	99.9	0.00131	0.024	4.29	0.0001	0.005	0.0326		0.00069	
	0.05	0.0205	0.0028	99.1	0.00098	0.025	3.01	0.0001	0.005	0.0244		0.00096	
	0.0024	0.0222	0.0063	144	0.00206		2.15	0.0000144	0.006	0.0641		0.0007	
	0.001	0.0107	0.0068	107	0.00117	0.0248	1.9	0.000005	0.0008	0.0207		0.00051	
0.00002	0.0008	0.0037	0.0022	65	0.00041	0.0163	1.53		0.0003	0.0076	0.0042	0.00037	9.27
	0.0012	0.019	0.0063	140	0.0009	0.02	1.7	0.0000063	0.0017	0.029		0.00064	8.1
	0.0014	0.0024	0.0015	100	0.00024	0.023	1.3	0.0000022	0.0003	0.0094		0.00063	10

Cesium (Cs)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Iron (Fe)	Lead (Pb)	Lithium (Li)	Manganese (Mn)	Mercury (Hg)	Molybdenum (Mo)	Nickel (Ni)	Rubidium (Rb)	Selenium (Se)	Silicon (Si)
	0.161	0.145	0.312	304	0.119		7.06	0.0001	0.0121	0.46		0.04	
	0.01	0.0132	0.0059	1	0.00351	0.196	5.74	0.0001	0.01	0.0659		0.0008	
	0.049	0.0269	0.0756	59.9	0.0319	0.236	1.88	0.0001	0.01	0.114		0.00227	
	0.0881	0.06	0.137	139	0.0575	0.266	3.88	0.0001	0.0104	0.202		0.00403	
	0.0059	0.002	0.0046	2.61	0.00091	0.21	0.18	0.0001	0.005	0.024		0.001	
	0.005	0.002	0.0049	1.63	0.00089	0.151	0.329	0.0001	0.005	0.0213		0.001	
	0.005	0.002	0.0035	0.27	0.0005	0.24	0.232	0.0001	0.005	0.0209		0.001	
	0.23	0.14	0.44	420	0.17		7.8	0.000005	0.021	0.53		0.0085	
	0.011	0.011	0.025	14	0.01		1.2	0.000005	0.002	0.055		0.002	
	0.0575	0.0424	0.08	86.8	0.0348		3.92	0.000184	0.0051	0.136		0.00249	
	0.0438	0.0283	0.0673	62.4	0.0297		2.04	0.0000971	0.0044	0.104		0.00157	
	0.001	0.0012	0.005	1.02	0.0005	0.204	0.0555	0.000005	0.0008	0.0187		0.0005	
0.00015	0.0013	0.0015	0.005	0.98	0.0005	0.213	0.639	0.00113	0.0011	0.0219	0.0031	0.0005	7.55
	0.001	0.0007	0.0073	0.26	0.0002	0.17	0.075	0.000002	0.0006	0.017		0.0016	5.5
	0.001	0.0011	0.0043	0.41	0.0002	0.2	0.21	0.000002	0.0007	0.021		0.00047	6.9
	0.012	0.011	0.03		0.0087	0.21	0.9	0.000046	0.0029	0.05		0.0009	0.29

0.0037	0.0539	0.0284	0.0802	84.3	0.033	0.209	1.72	0.0598	0.0061	0.12	0.0547	0.004	

Silver (Ag)	Strontium (Sr)	Sulfur (S)	Tellurium (Te)	Thallium (Tl)	Thorium (Th)	Tin (Sn)	Titanium (Ti)	Tungsten (W)	Uranium (U)	Vanadium (V)	Zinc (Zn)
0.00492	5									0.206	2.42
0.0001				0.0001		0.05	0.001		0.005	0.001	0.0044
0.00103				0.00091		0.05	0.308		0.0072	0.0916	0.605
0.00271				0.00263		0.05	0.562		0.0159	0.191	1.45
0.00039				0.00016		0.05	0.0948		0.0042	0.0261	0.211
0.0001				0.0001		0.05	0.0275		0.0066	0.0025	0.0191
0.0001				0.0001		0.05	0.0157		0.0066	0.0021	0.0211
0.0067	5.3									0.43	3.5
0.00031	0.72									0.032	0.21
0.000691										0.0511	0.332
0.00051										0.0421	0.25
0.000024				0.000021		0.0001	0.0065		0.0046	0.0009	0.0048
0.000038	0.598		0.0002	0.000077	0.0006	0.0002	0.0803	0.0014	0.0058	0.0052	0.0152
0.0001	0.48	57		0.0002		0.001	0.016		0.0044	0.0017	0.0065
0.0001	0.54	42		0.0002		0.001	0.0022		0.0043	0.001	0.003
0.00014	0.48	36		0.0002		0.0001	0.086		0.0043	0.011	0.084
0.00017	0.58	35		0.0002		0.001	0.12		0.0046	0.017	0.12
0.0002	0.59			0.0002					0.0037	0.014	0.0821

Silver (Ag)	Strontium (Sr)	Sulfur (S)	Tellurium (Te)	Thallium (Tl)	Thorium (Th)	Tin (Sn)	Titanium (Ti)	Tungsten (W)	Uranium (U)	Vanadium (V)	Zinc (Zn)
0.00434	3.52									0.186	1.75
0.0001				0.0001		0.05	0.001		0.0028	0.001	0.004
0.00116				0.00115		0.05	0.458		0.0144	0.11	0.589
0.00118				0.00139		0.05	0.24		0.0078	0.105	0.595
0.0001				0.0001		0.05	0.0248		0.0079	0.0031	0.014
0.0001				0.0001		0.05	0.0085		0.0051	0.001	0.0146
0.0001				0.0001		0.05	0.0061		0.0045	0.001	0.0111
0.0073	6.1									0.59	4
0.00028	1.3									0.033	0.17
0.00166										0.0909	0.462
0.000565										0.0575	0.309
0.00002				0.000024		0.0002	0.0034		0.0046	0.001	0.006

0.00002	0.604	55.1	0.0004	0.000046	0.0002	0.0002	0.0021	0.0002	0.0048	0.001	0.006
0.0001	0.49	33		0.0002		0.001	0.001		0.0039	0.001	0.003
0.0001	0.51	33		0.0002		0.001	0.0011		0.0034	0.0012	0.003
0.00093	1	35		0.0002		0.0014	0.26		0.007	0.086	0.48
0.0003	0.597			0.0006			0.0806		0.0038	0.0173	0.0845



Silver (Ag)	Strontium (Sr)	Sulfur (S)	Tellurium (Te)	Thallium (Tl)	Thorium (Th)	Tin (Sn)	Titanium (Ti)	Tungsten (W)	Uranium (U)	Vanadium (V)	Zinc (Zn)
0.00519	2.76									0.273	1.89
0.0001				0.00025		0.05	0.0032		0.0042	0.0021	0.02
0.0001				0.0001		0.05	0.0045		0.0034	0.003	0.041
0.0001				0.00025		0.05	0.0022		0.0005	0.0033	0.022
0.00005										0.0032	0.037
0.000041				0.00002		0.0006	0.0018		0.0134	0.0015	0.041
0.00002	0.511	9.3	0.0004	0.00002	0.0002	0.0006	0.002	0.0002	0.0009	0.0013	0.0104
0.0001	0.8	41		0.0002		0.001	0.0014		0.01	0.0018	0.027
0.0001	0.66	9.2		0.0002		0.0012	0.0024		0.0018	0.0012	0.02



Silver (Ag)	Strontium (Sr)	Sulfur (S)	Tellurium (Te)	Thallium (Tl)	Thorium (Th)	Tin (Sn)	Titanium (Ti)	Tungsten (W)	Uranium (U)	Vanadium (V)	Zinc (Zn)
0.0029	3.79									0.205	1.13
0.0002				0.00026		0.1	0.0035		0.0027	0.0022	0.0199
0.00065				0.00078		0.1	0.387		0.0409	0.0745	0.316
0.00109				0.00131		0.05	0.512		0.0615	0.131	0.511
0.0001				0.0005		0.05	0.0917		0.0339	0.0044	0.03
0.0001				0.0005		0.05	0.0207		0.042	0.0021	0.035
0.0001				0.0005		0.05	0.003		0.063	0.001	0.03
0.004	4.4									0.29	1.6
0.001	2.7									0.02	0.082
0.000761										0.078	0.269
0.000656										0.0644	0.279
0.0001				0.0001		0.001	0.0096		0.0416	0.005	0.03
0.0001	3.17	610	0.002	0.0001	0.001	0.001	0.0024	0.001	0.0417	0.005	0.03
0.0001	2	230		0.0002		0.001	0.0018		0.05	0.0011	0.013
0.0001	2.1	280		0.0002		0.001	0.0043		0.042	0.0017	0.0033
0.00028	2.1	410		0.0002		0.0001	0.15		0.031	0.019	0.11

0.0007	2.69			0.0007			0.333		0.0317	0.0743	0.313

Table 11 - Data compilation to support GW Trend Analysis

SNP 0053-7A (MW01A)

Parameters (mg/L)	Benzene	Toluene	Ethylbenzene	Xylenes	Phenols
October 6, 2010	0.0005	0.001	0.0005	0.0005	
June 8, 2011	0.0005	0.0005	0.0005	0.00071	
August 20, 2011	0.0005	0.0005	0.0005	0.00071	
October 15, 2011	0.0005	0.0006	0.0005	0.00071	
May 24, 2013	0.0005	0.0005	0.0005	0.00071	
August 19, 2013	0.0005	0.0005	0.0005	0.00071	
October 11, 2013	0.0005	0.0005	0.0005	0.00071	
May 28, 2014	0.0004	0.0004	0.0004	0.0008	
September 11, 2014	0.0004	0.0004	0.0004	0.0008	
June 30, 2015	0.0005	0.0005	0.0005	0.00071	
September 29, 2015	0.0005	0.0005	0.0005	0.00071	
June 23, 2016					
September 24, 2016					
June 27, 2017	0.0004	0.0004	0.0004	0.0008	
September 20, 2017	0.0004	0.0004	0.0004	0.0008	
* March 16, 2019 - KBL					
* March 24, 2019 - KBL					
* March 24, 2019 - ENR	0.002	0.002	0.002	0.002	

SNP 0053-7B (MW01B)

Parameters (mg/L)	Benzene	Toluene	Ethylbenzene	Xylenes	Phenols
October 6, 2010	0.0005	0.001	0.0005	0.0005	
June 8, 2011	0.0005	0.0005	0.0005	0.00071	
August 20, 2011	0.0005	0.0005	0.0005	0.00071	
October 15, 2011	0.0005	0.0005	0.0005	0.00071	
May 24, 2013	0.0005	0.0005	0.0005	0.00071	
August 19, 2013	0.0005	0.0005	0.0005	0.00071	
October 11, 2013	0.0005	0.0005	0.0005	0.00071	
May 28, 2014	0.0004	0.0004	0.0004	0.0008	
September 11, 2014	0.0004	0.0004	0.0004	0.0008	
June 30, 2015	0.0005	0.0005	0.0005	0.00071	

September 29, 2015	0.0005	0.0005	0.0005	0.00071	
June 23, 2016					
September 24, 2016					
June 27, 2017	0.0004	0.0004	0.0004	0.0008	
September 20, 2017	0.0004	0.0004	0.0004	0.0008	
March 16, 2019 - KBL					
March 24, 2019 - KBL					
March 24, 2019 - ENR	0.002	0.002	0.002	0.002	

SNP 0053-7C (MW01C)

Parameters (mg/L)	Benzene	Toluene	Ethylbenzene	Xylenes	Phenols
October 6, 2010	0.00144	0.0111	0.00331	0.0155	
May 24, 2013	0.0005	0.0005	0.0005	0.00071	
August 19, 2013	0.00198	0.00272	0.00284	0.00781	
October 11, 2013	0.00121	0.0005	0.00072	0.00174	
September 29, 2015	0.00081	0.00541	0.00051	0.00102	
June 23, 2016					
September 24, 2016					
June 27, 2017	0.0005	0.0017	0.0004	0.0008	
September 20, 2017	0.00075	0.005	0.00074	0.0027	

SNP 0053-7D (MW01D)

Parameters (mg/L)	Benzene	Toluene	Ethylbenzene	Xylenes	Phenols
October 6, 2010	0.0005	0.001	0.0005	0.0005	
June 8, 2011	0.0005	0.0005	0.0005	0.00071	
August 20, 2011	0.0005	0.0005	0.0005	0.00071	
October 15, 2011					
May 24, 2013	0.0005	0.0005	0.0005	0.00071	
August 19, 2013	0.0005	0.0005	0.0005	0.00071	
October 11, 2013	0.0005	0.0005	0.0005	0.00071	
May 28, 2014	0.0004	0.0004	0.0004	0.0008	
September 11, 2014	0.0004	0.0004	0.0004	0.0008	
June 30, 2015	0.0005	0.0005	0.0005	0.00071	

September 29, 2015	0.0005	0.0005	0.0005	0.00071	
June 23, 2016					
September 24, 2016					
June 27, 2017	0.0004	0.0004	0.0004	0.0008	
September 20, 2017	0.0004	0.0004	0.0004	0.0008	
March 16, 2019 - KBL					
March 19, 2019 - KBL		Not compiled			
March 24, 2019 - KBL					
March 24, 2019 - ENR					

	0.1	0.25	0.25	0.25	0.0005	
	0.1	0.1	0.1	0.2	0.0005	
	0.1	0.1	0.1	0.2	0.0005	

