

# Online Review System



[User Manual](#) [Log In](#)

- [Home](#)
- [MVEIRB Reviews](#)
- [MVLWB Reviews](#)
- [WLWB Reviews](#)
- [SLWB Reviews](#)
- [GLWB Reviews](#)

## REVIEW COMMENT TABLE

Canadian Zinc Corporation - Mining and Milling, Prairie Creek Mine - Renewal Applications (MV2020D0007 and MV2020L2-0003) (MVLWB)

By submitting comments and recommendations to the Online Review System, you and/or your organization become a Party to this Proceeding and, as such, are expected to follow the Boards' [Rules of Procedure](#).

### Item Description

Canadian Zinc Corporation (the Applicant) submitted complete renewal applications for a type A water licence (licence) and type A land use permit (permit). The purpose of the Applications is for underground mining of lead and zinc mineralization using explosives, followed by milling and flotation to produce mineral concentrates at the Prairie Creek Mine. This includes the operation of a camp for 110 personnel during routine operations, and 150 personnel during construction activities. The activity is currently authorized under Licence MV2008L2-0002 and Permit MV2008D0014 which expire on September 22, 2020 and June 15, 2020, respectively. The Applicant has requested a three-year term for the Licence and a five-year term for the Permit. The Applicant has also requested an exemption from preliminary screening because the Applicant believes that the development has not been modified since it was previously authorized.

**Using the Online Review System (ORS), reviewers are invited to submit comments and recommendations on the documents linked below by the review comment deadline specified. Reviewers may also wish to consider providing an overarching recommendation regarding whether the Board should approve the submission, to provide context for the comments and recommendations and assist the Board with its decision. Notices of intent to file a claim for water compensation must also be submitted by the review comment deadline. If reviewers seek clarification on the submission, they are encouraged to correspond directly with the Applicant prior to submitting comments and recommendations.**

Board staff agree the renewal Applications may be exempt from preliminary screening in accordance with the Exemption List Regulations. If you believe the renewal applications have been modified since the Environmental Assessment EA0809-002 dated December 8, 2011 and a preliminary screening is required, please describe your rationale and provide comments and recommendations (e.g., on impacts and mitigation measures) to assist with the Board's preliminary screening determination.

Board staff are seeking input from reviewers on whether a technical session and/or public hearing would be necessary given that the scope of the renewals would result in an alteration solely to the terms of the authorizations. A draft work plan will be distributed for review once comments have been received on whether a technical session and/or public hearing should be held. Please note the Board cannot cancel a Public Hearing until 10 days prior to the scheduled date.

All documents that have been uploaded to this review are also available on our public Registry. If you have any questions or comments about the ORS or this review, please contact Board staff identified below.

<b>File(s)</b>	<a href="#">MV2020D0007</a> <a href="#">MV2020L2-0003</a>
<b>Proponent</b>	CanZinc Corporation
<b>Document(s)</b>	<a href="#">MV2020L2-0003 - CZN - Water Licence Application - May 13 20.pdf (312.55 KB)</a> 312 KB <a href="#">MV2020D0007 - CZN - Land Use Permit Application - May 13 20.pdf (315.41 KB)</a> 315 KB <a href="#">MV2020D0007 MV2020L2-0003 - CZN - Consolidated Project Description - May 13 20.pdf (12.52 MB)</a> 12.5 MB <a href="#">MV2020D0007 MV2020L2-0003 - CZN - Engagement Plan - May 13 20.pdf (257.7 KB)</a> 257 KB <a href="#">MV2020D0007 MV2020L2-0003 - CZN - Engagement Log and Record - May 13 20.pdf (4.05 MB)</a> 4 MB <a href="#">MV2020D0007 MV2020L2-0003 - CZN - Spill Contingency Plan - May 13 20.pdf (15.82 MB)</a> 15.8 MB

[MV2020D0007 MV2020L2-0003 - CZN - Waste Management Plan - May 13, 20.pdf \(6.04 MB\)](#) 6 MB  
[MV2020D0007 MV2020L2-0003 - CZN - 2014 AEMP Design Plan - May 13, 20.pdf \(15.5 MB\)](#) 15.5 MB  
[MV2020D0007 MV2020L2-0003 - CZN - Closure Cost Estimate - May 13, 20.pdf \(112.86 KB\)](#) 113 KB

**Review Comments Due By**

June 11, 2020

**Proponent Responses Due By**

June 18, 2020

**Item For Review Distributed On**

May 21 at 11:13 [Distribution List](#)

**Contact Information**

[Andy Wheeler](#) 867.766.7467 [Jacqueline Ho](#) 867-766-7455 [Kim Murray](#) (867) 766-7458

[Work Offline](#)

[View Offline](#)

[Download empty Excel comment table](#)

[View all comments - Print friendly](#)