

Subject: RE: jenna.grandjambe@slwb.com | S13L1-007 - Imperial Oil Modification Request
Date: Tuesday, March 14, 2023 at 3:51:35 PM Mountain Daylight Saving Time
From: Fraser, Benjamin C
To: Bonnie Bergsma
Priority: High
Attachments: 23-HCAA-00374_Shoreline Stabilization Bosworth Creek - Letter of Advice_Signed.pdf

Good afternoon Bonnie,

As discussed yesterday, see attached for the letter of advice DFO provided this afternoon. We are hoping to begin work this week so would appreciate a quick turnaround if possible. Feel free to give me a ring if you have any questions. Please note that I've had a conversation with DFO regarding their recommendation to provide 10 days' notice and they are aware of our plans to begin this week due to the seasonal schedule constraints.

Kind regards,
Benjamin Fraser
Environment & Regulatory Advisor
Imperial
benjamin.fraser@esso.ca | P 587.476.2878 | C 403.988.9648

From: Bonnie Bergsma <bonnie.bergsma@slwb.com>
Sent: Monday, March 13, 2023 5:13 PM
To: Fraser, Benjamin C <benjamin.fraser@esso.ca>; Jenna Grandjambe <jenna.grandjambe@slwb.com>
Subject: Re: jenna.grandjambe@slwb.com | S13L1-007 - Imperial Oil Modification Request

External Email - Think Before You Click

Hi Benjamin,
I was going to get back to you today but ran out of time.
SLWB would like to see the DFO comments prior to finalizing the Board draft approval letter. Otherwise, we heard no responses from anyone requesting a public review of this, so we will proceed with Inspector, DFO and Board approval much as the draft letter outlines.

Regards,
Bonnie

Bonnie Bergsma, M.Sc.
Regulatory Coordinator-Specialist
Sahtu Land and Water Board
P.O. Box 1
Fort Good Hope NT X0E 0H0
Office (519) 289-3380
Cell (867) 496-2778
Bonnie.bergsma@slwb.com

All correspondence to the Board, including emails, letters, faxes, and attachments are public documents and may be posted to the public registry.

From: Fraser, Benjamin C <benjamin.fraser@esso.ca>
Date: Monday, March 13, 2023 at 5:00 PM
To: Bonnie Bergsma <bonnie.bergsma@slwb.com>, Jenna Grandjambe <jenna.grandjambe@slwb.com>
Subject: FW: jenna.grandjambe@slwb.com | S13L1-007 - Imperial Oil Modification Request

Good afternoon Bonnie and Jenna,

Reaching out to see if there are any updates on this modification request review. I received an update from the DFO this afternoon and they are planning to provide written approval tomorrow. I noticed the March 10th date on the draft approval letter you provided via the link below but I'm assuming that will be updated once the review is complete? Our original project schedule as outlined in the modification request was to begin work on March 14th, however I will put our contractor's crew on hold until I hear back from the Board.

Kind regards,
Benjamin Fraser
Environment & Regulatory Advisor
Imperial
benjamin.fraser@esso.ca | P 587.476.2878 | C 403.988.9648

From: webmaster@onlinereviewsystem.ca <webmaster@onlinereviewsystem.ca>
Sent: Friday, March 3, 2023 4:45 PM
To: Fraser, Benjamin C <benjamin.fraser@esso.ca>
Subject: jenna.grandjambe@slwb.com | S13L1-007 - Imperial Oil Modification Request

External Email - Think Before You Click

Imperial Oil Operations N.W.T. Limited (Imperial) submitted a 20-day notification of intent to carry out bank armouring work, during March 14 to 28, 2023, to mitigate a 21 m section of the Bosworth Creek bank where there is active erosion and slope degradation threatening nearby utilidor infrastructure on the mainland of Norman Wells Operations.

As required by Water Licence S13L1-007 (the Licence) Part G, condition 1:

The Licensee may, without written consent from the Board, carry out Modifications to the water supply and Waste disposal facilities, bunkers, docks, bridges, flowlines, creek banks, and river banks provided that the Modification are consistent with the terms of this Licence and the following requirements are met: a) 60-day notification; b) complies with the Licence, the MVRMA, Federal, Territorial, Municipal Legislation; c) review will not require more than 60 days; d) the Board has not rejected the proposed Modification.

This notification meets all but the Board's 60-day notification requirement for approval without written consent. The Board has received written approval from the CIRNAC Inspector and agrees that the work needs to be completed to protect nearby infrastructure from further bank failure. The Board has prepared a draft letter of approval for this Modification including conditions as recommended by the Inspector. This draft letter is not intended to limit in any way the scope of reviewers' comments. The Board is not bound by the contents of this draft Letter and will make its decision at the close of the proceeding on the basis of all the evidence and arguments filed by all parties.

The Board is of the opinion that sufficient information has been submitted for this review and that the review can be completed within 20 days, unless a formal public review is requested through response to this e-mail.

Links to documents are :

[S13L1-007 - IOR to SLWB - 2023 Norman Wells Bosworth Creek Erosion Mitigation Project Modification Notification](#)

[S13L1-007/S13L1-007 - Bosworth Creek Erosion Modification - Inspector Approval - Feb 23_23.pdf](#)

[S13L1-007/S13L1-007 - Board Approval - Modification - Bosworth Creek Erosion Repair - Mar 10_23.pdf](#)

All documents that have been uploaded to this review are also available on our public Registry. If you have any questions or comments about the ORS or this review, please contact Board staff.

Regards,

Jenna Grandjambe
Board and Administrative Support Clerk

Sahtu Land and Water Board

PO Box 1

Fort Good Hope, NT X0E-0H0

W(867) 598-2413 ext. 0

Fax (867)598-2325

Website:www.slwb.com

||