

Review Comment Table

Board:	SLWB
Review Item:	Great Bear Lake Lodge Private Road and Quarry S21F-002
File(s):	S21F-002
Proponent:	Great Bear Lake Lodge Ltd.
Document(s):	Cover letter and preliminary screening exemption request (341 KB) Land Use Permit Renewal Application (1.2 MB) Spill Contingency Plan v. 4 (1.7 KB) Waste Management Plan v. 2 (732 KB) Closure and Reclamation Plan v 3 (430 KB) Draft Permit Conditions (680 KB)
Item For Review Distributed On:	May 31 at 17:13 Distribution List
Reviewer Comments Due By:	June 17, 2021
Proponent Responses Due By:	June 28, 2021: As of July 27, 2021 the Proponent has submitted no responses: Board staff sent reminders on July 13, and again on July 23, 2021 (see attached correspondence).
Item Description:	<p>Great Bear Lake Lodge Ltd. (GBLL) (the Applicant) has submitted a complete renewal application for a type A land use permit. The purpose of this Application is to renew the authorization for continued use of vehicles to transfer passengers and fuel on an existing private road that services the Great Bear Lake Lodge and to continue the use of an existing quarry established to support the operation of the GBLL located on the Dease Arm of Great Bear Lake.</p> <p>The Applicant has also requested an exemption from preliminary screening because the Applicant believes that the development has not been modified since it was previously permitted.</p> <p>Using the Online Review System (ORS), reviewers are invited to submit comments and recommendations on the documents linked below by the review comment deadline specified. Reviewers may also wish to consider providing an overarching recommendation regarding whether the Board should approve the submission, to provide context for the comments and recommendations and assist the Board with its decision.</p> <p>If reviewers seek clarification on the submission, they are encouraged to correspond directly with the Applicant prior to submitting comments and recommendations.</p>

Board staff agree the renewal Application may be exempt from preliminary screening in accordance with the Exemption List Regulations. If you believe a preliminary screening is required, please describe your rationale, and provide comments and recommendations (e.g., on impacts and mitigation measures) to assist with the Board's preliminary screening determination. The Board's most recent preliminary screening determination [June 14, 2016 for S16F-001](#) for this Project is available on our public Registry.

Under the Sahtu Land Use Plan (SLUP), the Board must confirm that the Application conforms with the SLUP. Reviewers are encouraged to provide comments and recommendations on conformity with the SLUP. The most recent conformity determination was assessed by the Board on [March 11, 2019](#) for the corresponding Licence S19L3-001.

A draft Permit has been developed by Board staff, based on the previous permit and the MVLWB's current Standard Land Use Permit Conditions Template, to allow reviewers to comment on possible conditions. Older standard conditions that are no longer on the Standard Land Use Permit Conditions Template list have not been included. Non-standard conditions are shown in green. These draft materials are not intended to limit in any way the scope of reviewers' comments. The Board is not bound by the contents of the draft Permit and will make its decision at the close of the proceeding based on all the evidence and arguments filed by all parties.

Board staff have requested GBLI to provide the following additional items:

- **the submission of an updated engagement record for this renewal application,**
- **submission of annual reports documenting the previous 5 years of activity under S16F-001,**
- **revisions to the three management Plans based on Board direction under the approval of the corresponding [Licence S19L3-001](#).**

As of July 27, 2021, these additional items have not been submitted with the application.

General Reviewer Information:

All documents that have been uploaded to this review are also available on our public Registry. If you have any questions or comments about the ORS or this review, please contact Board staff identified below.

Contact Information:

Bonnie Bergsma

Comment Summary

GNWT - ENR - EAM (Environmental Assessment and Monitoring): Central Email GNWT				
ID	Topic	Reviewer Comment/Recommendation	Proponent Response	Board Staff Response
12	General File	Comment (doc) ENR Letter with Comments and Recommendations Recommendation		See attached
1	Topic: Waste Management Plan Version 2.0, Part 4. - Description of Waste Management – Paragraph 1	Comment Part 4, Description of Waste Management, Paragraph 1 states the following: "To this end, Great Bear Lake Lodge Ltd. is registered with the GNWT for the shipment of hazardous waste." Recommendation 1) ENR would like the proponent to provide the hazardous waste registration number in the Waste Management Plan (WMP).		The proponent must provide the hazardous waste registration number in the Waste Management Plan (WMP).
2	Topic: Waste Management Plan Version 2.0, Part 4. - Description of Waste Management – Paragraph 2	Comment Part 4, Description of Waste Management, Paragraph 2 states the following: "All grey water and sewage wastes flow to three septic tanks; two have 1000-gallon capacities, the other holds 500 gallons. Four cabins drain to the small tank and the larger tanks services the remaining buildings. Liquid wastes are pumped almost a kilometer east of the lodge to a gravel filtration field where they disperse into the soil." Recommendation 1) ENR recommends, in reference to the photo in Appendix A where liquid wastes are pumped east of the lodge to a gravel filtration field, that a more detailed, higher resolution photo of that area be added to Appendix A.		A more detailed higher resolution photo of the entire waste management system must be included in the WMP. Board staff recommended including the water supply figures from S17L3-001
3	Topic: Waste Management Plan Version 2.0, Part 4. - Description of Waste Management – Paragraph 3	However, Table 1, Page 4 Waste Management Plan Summary, Type of Waste - Burnable waste (paper, cardboard and untreated/painted wood) indicates painted wood could be incinerated. Additionally, in Section 3.2 d) of the GNWT Guideline for Hazardous Waste Management it states: "In the NWT, dioxins and furans from human activities are most frequently formed as a result of incineration or open burning of		The proponent shall include as an Appendix or reference, the procedures to follow prior to depositing any incinerator ash into the landfill site as outlined in

		<p>garbage, and are also found as solid waste in the ash. They are also found in wood preservatives that used pentachlorophenol. Waste containing dioxins and furans is classified as a hazardous waste if it contains Dioxin TEQ in a concentration greater than 0.001 mg/kg." Recommendation 1) It is recommended that, prior to depositing any incinerator ash into the landfill site, the proponent follow Section 4.2, General Requirements for Storage Containers and Section 4.3, General Requirements for Storage Facilities in the Guideline for Hazardous Waste Management. The guidelines sections may be referenced at the following link: https://www.enr.gov.nt.ca/sites/enr/files/resources/128-hazardous_waste-interactive_web_0.pdf</p>		<p>the Guideline for Hazardous Waste Management Sections 4.2 and 4.3.</p>
4	None	<p>Comment None Recommendation 2) ENR recommends that the proponent follow the Record of Disposal requirements in Section 4.5 of Guideline for Hazardous Waste Management and provide a copy of their record template.</p>		<p>The proponent shall follow the Record of Disposal requirements in Section 4.5 of Guideline for Hazardous Waste Management and provide a copy of their record template.</p>
5	None	<p>Comment None Recommendation 3) ENR recommends that the proponent remove any reference to “painted wood” from the WMP, Table 1, Page 4, Waste Management Plan Summary, under the heading “Type of Waste”. Painted wood is not an acceptable item for incineration.</p>		<p>Remove reference to “painted wood” from the WMP as it is not acceptable for incineration.</p>

6	Topic: Registering a Storage Facility	<p>Comment A hazardous waste generator may also be required to register their storage facility. If the hazardous waste is not stored on the generator's property, the property owner will need to register their facility as a receiver. A storage facility can be a building, locker, compound or area used to store hazardous waste.</p> <p>Recommendation 1) ENR recommends registering any existing or future receiving facilities.</p>		The Proponent will register any existing or future facility to store hazardous wastes.
7	Topic: Spill Contingency and Emergency Response Plan	<p>Comment In reference to Section 3, Table 1, 5th row, the contact information requires updating.</p> <p>Recommendation 1) The following contact information needs to be updated. Erin Goose contact information: Work Phone: (867) 587-4255 and Cell phone (867) 587-6765.</p>		Update contact information in the SCP.
8	Topic: Closure and Reclamation Plan - Section 2.2 Sewage and Solid Waste	<p>Comment For all material suitable for burning using an open pit, or open burning methodology, a permit to burn is required if lighting a fire (burning) outside of Municipal limits for anything other than cooking food or warming yourself. With this type of permit, you can set out, start or kindle a fire during the closed season (May 1-September 30) within a forest area or within one kilometre of a forested area for the purpose of clearing land or removing flammable material.</p> <p>Recommendation 1) ENR recommends that a permit for burning be obtained, if required, for any burning outside of municipal limits. There is no charge for this type of permit, and it may be obtained at a local or regional ENR office.</p>		The Proponent shall apply for annual burn permits from the GNWT ENR.
9	Topic: Closure and Reclamation Plan - Section 3: Greywater Treatment Area	<p>Comment It is stated in Section 3, Greywater Area: "All infrastructures leading to the treatment area will be removed and transported back to Yellowknife for disposal."</p> <p>Recommendation 1) ENR recommends including the agreement for temporary storage with the Deline Gotine Government in the Closure and Reclamation Plan.</p>		The Proponent shall finalize their agreement with DGG regarding any temporary storage of materials during closure activities.

10	Topic: Closure and Reclamation Plan - Section 8: Post Closure Site Assessment	<p>Comment Great Bear Lake Lodge Ltd. acknowledges its obligation to address any residual environmental impacts of the abandonment and reclamation activities. These locations will be assessed after the activities have been completed until the conditions set out in the Land Use Permit have been met. If any residual impacts are identified, Great Bear Lake Lodge Ltd. will carry out activities to mitigate them to the satisfaction of the regulator.</p> <p>Recommendation 1) Monitoring in the area is relevant to the possible impacts. The company indicates they have been in the area since 1968; therefore, the impacts could be greater than expected. ENR recommends that post-reclamation monitoring be implemented for this project.</p>		The Proponent shall develop a Post-closure monitoring plan that includes the DGG and incorporates Traditional Knowledge.
----	--	---	--	--

11	None	<p>Comment None</p> <p>Recommendation 2) ENR recommends that annual/bi-annual monitoring of the site should be implemented to identify any environmental impacts that may require mitigation measures.</p>		Annual site monitoring requirements shall be developed with the DGG and ENR.
----	------	--	--	--

GNWT - Lands - Sahtu Region: Jonathan Gillingham

ID	Topic	Reviewer Comment/Recommendation	Proponent Response	Board Staff Response
1	Closure and Reclamation Plan (CRP)	<p>Comment Section 2.2 states there will be open-pit burning. There will be no open-pit burning, all burning will be done with an approved incinerator.</p> <p>Recommendation Update CRP to state all approved burnable materials will be incinerated with an approved incinerator</p>		Any open-pit burning must be authorized by a Permit to Burn (see ENR comment ID8)
2	Closure and Reclamation Plan (CRP)	<p>Comment Section 2.2 talks about using a landfill to bury waste. That is an outdated practice and will not be approved.</p> <p>Recommendation Update CRP to state all waste will be removed from the site to an approved waste facility.</p>		The CRP must present an evaluation or assessment of the alternative options for final waste disposal for review prior to Board approval.

3	Closure and Reclamation Plan (CRP)	<p>Comment (doc) Section 9 states securities have been deposited into a trust fund. That is a good practice, however, it is mandatory for proponents to pay securities to the GNWT to be withheld until the project is deemed completed/remediated in full. I have attached my security estimations based on the application.</p> <p>Recommendation Please assess project securities using the template provided by the SLWB.</p>		<p>Security estimate attached.</p> <p>The GNWT-Lands – Sahtu Region recommends an additional security of \$27,500.00 for fuel storage , heavy equipment and hazardous waste.</p>
4	Waste Management Plan (WMP)	<p>Comment Section 4, as stated above, proponents will not be approved to store waste in a landfill. It will require disposal at an approved waste facility.</p> <p>Recommendation Update WMP to reflect proper disposal of waste.</p>		<p>See response to comment ID2.</p>
5	Waste Management Plan (WMP)	<p>Comment Section 5 describes a Landfill. All waste should be disposed of in an approved waste facility not a Landfill site.</p> <p>Recommendation Update WMP to reflect waste being disposed of in an approved waste facility.</p>		<p>See response to comment ID2.</p>



June 17, 2021

Bonnie Bergsma
Regulatory Specialist
Sahtu Land and Water Board
Box 1, Fort Good Hope
Northwest Territories
X0E 0H0

Dear Ms. Bergsma,

**Re: Great Bear Lake Lodge Ltd. (GBLLL)
Land Use Permit Application – S21F-002
Great Bear Lake Lodge Private Road and Quarry
Request for Review and Comments**

The Department of Environment and Natural Resources (ENR), Government of the Northwest Territories has reviewed the application at reference based on its mandated responsibilities and provides the following comments and recommendations for the consideration of the Board.

Topic: Waste Management Plan Version 2.0, Part 4. - Description of Waste Management – Paragraph 1

Comment(s):

Part 4, Description of Waste Management, Paragraph 1 states the following: “To this end, Great Bear Lake Lodge Ltd. is registered with the GNWT for the shipment of hazardous waste.”

Recommendation(s):

- 1) ENR would like the proponent to provide the hazardous waste registration number in the Waste Management Plan (WMP).

Topic: Waste Management Plan Version 2.0, Part 4. - Description of Waste Management – Paragraph 2

Comment(s):

Part 4, Description of Waste Management, Paragraph 2 states the following: “All grey water and sewage wastes flow to three septic tanks; two have 1000-gallon capacities, the other holds 500 gallons. Four cabins drain to the small tank and the larger tanks services the remaining buildings. Liquid wastes are pumped almost a kilometer east of the lodge to a gravel filtration field where they disperse into the soil.”

Recommendation(s):

- 1) ENR recommends, in reference to the photo in Appendix A where liquid wastes are pumped east of the lodge to a gravel filtration field, that a more detailed, higher resolution photo of that area be added to Appendix A.

Topic: Waste Management Plan Version 2.0, Part 4. - Description of Waste Management – Paragraph 3

Comment(s):

Part 4, Description of Waste Management, Paragraph 2 states the following:

“All paper, cardboard and untreated wood is burned in the incinerator. By eliminating food waste and plastics from the incinerator, concerns about mercury, dioxins and furans are avoided. Once per year, the ash is deposited into the landfill site. To ensure that proper waste segregation is occurring prior to incineration, a composite ash sample is collected and tested in an approved laboratory prior to annual disposal in the landfill site. Composite ash samples will consist of collecting equal quantities of ash following each use of the incinerator.”

However, Table 1, Page 4 Waste Management Plan Summary, Type of Waste - Burnable waste (paper, cardboard and untreated/painted wood) indicates painted wood could be incinerated.

Additionally, in Section 3.2 d) of the GNWT Guideline for Hazardous Waste Management it states: “In the NWT, dioxins and furans from human activities are most frequently formed as a result of incineration or open burning of garbage, and are also found as solid waste in the ash. They are also found in wood preservatives that used pentachlorophenol. Waste containing dioxins and furans is classified as a hazardous waste if it contains Dioxin TEQ in a concentration greater than 0.001 mg/kg.”

Recommendation(s):

1) It is recommended that, prior to depositing any incinerator ash into the landfill site, the proponent follow Section 4.2, General Requirements for Storage Containers and Section 4.3, General Requirements for Storage Facilities in the *Guideline for Hazardous Waste Management*. The guidelines sections may be referenced at the following link:

https://www.enr.gov.nt.ca/sites/enr/files/resources/128-hazardous_waste-interactive_web_0.pdf.

2) ENR recommends that the proponent follow the Record of Disposal requirements in Section 4.5 of *Guideline for Hazardous Waste Management* and provide a copy of their record template.

3) ENR recommends that the proponent remove any reference to “painted wood” from the WMP, Table 1, Page 4, Waste Management Plan Summary, under the heading “Type of Waste”. Painted wood is not an acceptable item for incineration.

Topic: Registering a Storage Facility**Comment(s):**

A hazardous waste generator may also be required to register their storage facility. If the hazardous waste is not stored on the generator’s property, the property owner will need to register their facility as a receiver. A storage facility can be a building, locker, compound or area used to store hazardous waste.

Recommendation(s):

1) ENR recommends registering any existing or future receiving facilities.

Topic: Spill Contingency and Emergency Response Plan**Comment(s):**

In reference to Section 3, Table 1, 5th row, the contact information requires updating.

Recommendation(s):

- 1) The following contact information needs to be updated. Erin Goose contact information: Work Phone: (867) 587-4255 and Cell phone (867) 587-6765.

Topic: Closure and Reclamation Plan - Section 2.2 Sewage and Solid Waste

Comment(s):

For all material suitable for burning using an open pit, or open burning methodology, a permit to burn is required if lighting a fire (burning) outside of Municipal limits for anything other than cooking food or warming yourself.

With this type of permit, you can set out, start or kindle a fire during the closed season (May 1-September 30) within a forest area or within one kilometre of a forested area for the purpose of clearing land or removing flammable material.

Recommendation(s):

- 1) ENR recommends that a permit for burning be obtained, if required, for any burning outside of municipal limits. There is no charge for this type of permit, and it may be obtained at a local or regional ENR office.

Topic: Closure and Reclamation Plan - Section 3: Greywater Treatment Area

Comment(s):

It is stated in Section 3, Greywater Area: "All infrastructures leading to the treatment area will be removed and transported back to Yellowknife for disposal."

Recommendation(s):

- 1) ENR recommends including the agreement for temporary storage with the Deline Gotine Government in the Closure and Reclamation Plan.

Topic: Closure and Reclamation Plan - Section 8: Post Closure Site Assessment

Comment(s):

Great Bear Lake Lodge Ltd. acknowledges its obligation to address any residual environmental impacts of the abandonment and reclamation activities. These locations will be assessed after the activities have been completed until the conditions set out in the Land Use Permit have been met. If any residual impacts are identified, Great Bear Lake Lodge Ltd. will carry out activities to mitigate them to the satisfaction of the regulator.

Recommendation(s):

- 1) Monitoring in the area is relevant to the possible impacts. The company indicates they have been in the area since 1968; therefore, the impacts could be greater than expected. ENR recommends that post-reclamation monitoring be implemented for this project.
- 2) ENR recommends that annual/bi-annual monitoring of the site should be implemented to identify any environmental impacts that may require mitigation measures.

Comments and recommendations were provided by ENR technical experts in the Sahtu Region and were coordinated and collated by the Environmental Assessment and Monitoring Section (EAM), Environmental Stewardship and Climate Change Division.

Should you have any questions or concerns, please do not hesitate to contact Patrick Clancy, Environmental Regulatory Analyst at (867) 767-9233 Ext: 53096 or email patrick_clancy@gov.nt.ca.

Sincerely,



Patrick Clancy
Environmental Regulatory Analyst
Environmental Assessment and Monitoring Section
Environmental Stewardship and Climate Change Division
Department of Environment and Natural Resources
Government of the Northwest Territories

Land Use Permit Security Worksheet

Application Number:	Input Amount	Multiplier	
Camp (C1)			
DRAFT			
Temporary Structures			
Input number of tent frames or weatherhaven (3.5m x 4.2m)	0	\$200.00	\$0.00
Input number of trailers (3.5m x 15.2m)	0	\$300.00	\$0.00
Input total square metres of other temporary structures (i.e. core shacks)	0	\$2.50	\$0.00
Fixed Structures			
Input total square metres of fixed structures	0	\$25.00	\$0.00
COPY			
Solid Waste			
For non-burnable material, input # of person days per season	63	\$1.00	\$63.00
For burnable material, input # of person days per season	63	\$0.50	\$31.50
Total C1			\$94.50

Regulated / Hazardous Materials (R1)			
Based upon on site volume			
Explosives; up to 500 kg (~pallet) dry explosives input 1, if none, input 0	0	\$500.00	\$0.00
Additional Explosives; input total kg >500	0	\$0.50	\$0.00
Drilling Muds (oil based); enter number of 63 m ³ (or equivalent) containers	0	\$1,000.00	\$0.00
Used Oil, Lubes and Antifreeze: enter number of pieces of heavy equipment	10	\$500.00	\$5,000.00
Other:			

Total R1			\$5,000.00

Hydrocarbon Storage and Transfer (H1)			
Based upon on site volume			
Gasoline and Diesel			
Enter total volume of gasoline&diesel <25,000 L	0	\$0.50	\$0.00
Enter total volume of gasoline&fuel > 25,000 L	144350	\$0.25	\$36,087.50
Total Gasoline and Diesel			\$36,087.50
When fuel is within bermed site or has other safety feature, enter 1, otherwise enter 0	1	25%	-\$9,021.88
Aviation Fuel			
Enter total volume of aviation fuel < 25,000 L	0	\$0.50	\$0.00
Enter total volume of aviation fuel > 25,000 L	0	\$0.25	\$0.00
Total Aviation Fuel			\$0.00
When fuel is within bermed site or has other safety feature, enter 1, otherwise enter 0	0	25%	\$0.00
Total H1			\$27,065.63

Land Disturbance (L1)			
Disturbed Surface Area			
<i>(Developed surface area that may require restoration through the use of scarification, reseeding, fertilizing or other similar techniques)</i>			
Enter number of hectares disturbed	1.3	\$1,000.00	\$1,300.00
Other Land Disturbances			
Creek Crossings; enter number of creek crossings	1	\$500.00	\$500.00
Off-Road Activities; if any activities are likely, enter 1	0	\$500.00	\$0.00
Sump Factor; enter total area occupied by sumps in m ²	0	\$10.00	\$0.00
Well Factor; enter number of wells.	0	\$25,000.00	\$0.00
Total L1			\$1,800.00

Land Use Permit Security Worksheet (continued)

Application Number:	Input Amount	Multiplier	
Equipment (E1)			
Based upon type of equipment			
Enter number of pieces of heavy equipment (i.e. dozer, forklift, large gensets)	7	\$ 1,000.00	\$ 7,000.00
Enter number of drills	0	\$ 1,000.00	\$ 0.00
Enter number of light vehicles (trucks, atvs, snowmobiles, boats)	3	\$ 250.00	\$ 750.00
Enter number of small generators or pumps	0	\$ 100.00	\$ 0.00
Enter number of empty fuel storage tanks	0	\$ 500.00	\$ 0.00
Total E1			\$7,750.00

Security Calculation			
Preliminary Calculation			
Enter amount from C1			\$94.50
Enter amount from R1			\$5,000.00
Enter amount from H1			\$27,065.63
Enter amount from L1			\$1,800.00
Enter amount from E1			\$7,750.00
Preliminary Calculation, total of above		A	\$41,710.13
Multipliers			
Site Access Multiplier. If the project has all weather road access enter 1, if ice road access enter 1.5, if air access enter 2		B	2
Performance Multiplier. If applicant has successfully completed the terms of a LUP enter 0.85, otherwise enter 1		C	1
Environmental Risk Factor. If location has high environmental value or unusual environmental risk enter 2. If location is previously disturbed enter 0.75. Otherwise enter 1.		D	0.75
Calculated Security			
Multiply preliminary calculation (A) by performance multipliers (B, C and D)		E	\$62,565.19
Existing Securities			
List existing associated permits and amount of overlapping security			
Permit: S16F-001			\$15,000.00
Permit: S19L3-001			\$20,000.00
Permit:			
Permit:			
Overlapping Securities, total of above		F	\$35,000.00
Final Security Determination			
Subtract overlapping securities (F) from calculated security (E)			\$27,565.19

Comments

Subject: Re: Permit Renewal - ORS RESPONSES REQUIRED
Date: Friday, July 23, 2021 at 3:11:42 PM Mountain Daylight Time
From: Bonnie Bergsma
To: Chuk Coulter
CC: Reid Stoyberg, Paul Dixon

Good Afternoon Chuk,

I notice that the ORS Responses to the Quarry and Road Permit Renewal have not yet been uploaded to our [online review system](#).

The due date for Proponent responses was June 28, 2021, and we have not received any formal request from you for an extension to complete these responses.

I would like to remind you that your application was deemed complete by the Board on May 31, 2021 as per the Mackenzie Valley Land Use Regulations (MVLUR) section 2(1)(b) and the fact that the Board will take, subject to sections 23.1 and 24, one of the measures referred to in subsection (2) within 42 days after that date.

(2) Subject to sections 23.1 and 24, if the Board does not return an application under paragraph (1)(a), it shall, within 42 days after receipt of the complete application,

(a) issue a Type A permit, subject to any conditions included pursuant to subsection 26(1);

(b) conduct a hearing under section 24 of the Act or require that further studies or investigations be made respecting the lands proposed to be used in the landuse operation and notify the applicant in writing of the reasons for the hearing, studies or investigations;

(c) refer the application to the Mackenzie Valley Environmental Impact Review Board under subsection 125(1) or paragraph 126(2)(a) of the Act for an environmental assessment and notify the applicant in writing of its referral and of the reasons for the referral; or

(d) if a requirement set out in section 61 or 61.1 of the Act has not been met, refuse to issue a permit and notify the applicant in writing of its refusal and of the reasons for the refusal.

The 42-day period was on July 12, 2021. I will be taking this report to the Board on August 3, 2021. Your responses to the recommendations from reviewers is part of the evidentiary record to inform the Board's decision.

Regards,
Bonnie

Bonnie Bergsma, M.Sc.
Regulatory Specialist
Sahtu Land and Water Board
P.O. Box 1
Fort Good Hope NT X0E 0H0
867-496-2778
Bonnie.bergsma@slwb.com

All correspondence to the Board, including emails, letters, faxes, and attachments are public documents and may be posted to the public registry.

From: Bonnie Bergsma <bonnie.bergsma@slwb.com>
Date: Tuesday, July 13, 2021 at 11:55 AM
To: Chuk Coulter <chuk@plummerslodges.com>
Cc: Reid Stoyberg <rstoyberg@gmail.com>
Subject: Re: Permit Renewal - ORS RESPONSES REQUIRED

I have changed Reid's user profile from Great Slave Lodge to Great Bear Lodge and he should now have access to download the comments and upload with responses.

Thanks,
Bonnie

From: Chuk Coulter <chuk@plummerslodges.com>
Date: Tuesday, July 13, 2021 at 9:26 AM
To: Bonnie Bergsma <bonnie.bergsma@slwb.com>
Cc: Reid Stoyberg <rstoyberg@gmail.com>
Subject: Re: Permit Renewal - ORS RESPONSES REQUIRED

Hey Bonnie,

Ya let's get Reid Stoyberg's name on there too.

Hug & Release,

Chuk Coulter

1-204-774-5775 Winnipeg office
1-800-665-0240 Toll Free Winnipeg office
Plummer's Arctic Lodges
950 Bradford St.
Winnipeg, MB R3H 0N5
www.plummerslodges.com

From: Bonnie Bergsma <bonnie.bergsma@slwb.com>
Date: Tuesday, July 13, 2021 at 9:09 AM
To: Chuk Coulter <chuk@plummerslodges.com>
Subject: Permit Renewal - ORS RESPONSES REQUIRED

Good Morning Chuk,

In order for me to proceed with your application, all of the responses from reviewers must be answered by yourself. ‘

If you would like any other person to respond, they will need to create a user name and I will need to add them to the review for their access.

There is a Board meeting coming up on July 21 and I was hoping to present it to them at that meeting.

Please let me know your timelines.

Bonnie

Bonnie Bergsma, M.Sc.
Regulatory Specialist
Sahtu Land and Water Board
P.O. Box 1
Fort Good Hope NT X0E 0H0
867-496-2778
Bonnie.bergsma@slwb.com

All correspondence to the Board, including emails, letters, faxes, and attachments are public documents and may be posted to the public registry.