

**Conditions Annexed to and Forming Part of
Land Use Permit # S21Q-004**

Part A: Scope of Permit

1. This Permit entitles the Permittee to conduct the following land-use operation:
 - a) Construction of a winter access road from km 966.6 of the Mackenzie Valley Winter Road (MVWR) to Dhu-1 quarry,
 - b) Use of heavy equipment, vehicles, and earth-moving equipment for clearing of land,
 - c) Vegetation clearing,
 - d) Development and operation of the Dhu-1 quarry,
 - e) Use and storage of explosives,
 - f) Stockpiling of quarried material,
 - g) Use and storage of fuel,
 - h) Construction and operation of temporary laydown areas, construction camp, explosive storage/mixing facility, fuel storage, equipment maintenance and storage areas, water supply, power generation and waste management areas,
 - i) Stabilization of quarry faces and stockpiles and removal of camp and equipment at the end of operation.
2. This Permit is issued subject to the conditions contained herein with respect to the use of land for the activities and area identified in Part A, item 1 of this Permit.
3. Compliance with the terms and conditions of this Permit does not excuse the Permittee from its obligation to comply with the requirements of any applicable Federal, Territorial, Deline, Tłı̨chǫ, or Municipal laws.

Part B: Definitions (defined terms are capitalized throughout the Permit)

Act - the *Mackenzie Valley Resource Management Act*.

Archaeological Impact Assessment - archaeological research as defined by the Prince of Wales Northern Heritage Centre *Guidelines for Developers for the Protection of Archaeological Sites in the Northwest Territories*.

Board - the Sahtu Land and Water Board established under Part 3 of the Act.

Closure and Reclamation - the process and activities that facilitate the return of areas affected by the Project to viable and, wherever practicable, self-sustaining ecosystems that are compatible with a healthy environment, human activities, and the surrounding environment.

Dogleg - the clearing of a line, trail, or right-of-way that is curved sufficiently so that no part of the clearing beyond the curve is visible when approached from either direction.

Durable Land - land that can withstand repeated use, such as gravel or sand with minimal vegetative cover.

Engagement Plan - a document, developed in accordance with the Board's *Engagement and Consultation Policy* and the *Engagement Guidelines for Applicants and Holders of Water Licences and Land Use Permits*, that clearly describes how, when, and which engagement activities will occur with an affected party during the life of the project.

Fuel Storage Container - a container for the storage of petroleum or allied petroleum products with a capacity of less than 230 litres.

Fuel Storage Tank - a closed container for the storage of petroleum or allied petroleum products with a capacity of more than 230 litres.

Greywater - all liquid wastes from showers, baths, sinks, kitchens, and domestic washing facilities but not including toilet wastes.

Habitat - the area or type of site where a species or an individual of a species of wildlife naturally occurs or on which it depends, directly or indirectly, to carry out its life processes.

Inspector - an Inspector designated by the Minister under the Act.

Minister - the Minister of Indian Affairs and Northern Development Canada or the Minister of the Government of the Northwest Territories – Department of Lands, as the case may be.

Ordinary High-Water Mark - the usual or average level to which a body of water rises at its highest point and remains for sufficient time so as to change the characteristics of the land. In flowing waters (rivers, streams) this refers to the "active channel/bank-full level" which is often the 1:2 year flood flow return level. In inland lakes, wetlands, or marine environments, it refers to those parts of the Watercourse bed and banks that are frequently flooded by water so as to leave a mark on the land and where the natural vegetation changes from predominately aquatic vegetation to terrestrial vegetation (excepting water tolerant species). For reservoirs, this refers to normal high operating levels (full supply level).

Permittee - the holder of this permit.

Permafrost - ground (soil or rock) that remains at or below 0°C for at least two consecutive years.

Progressive Reclamation - Closure and Reclamation activities conducted during the operating phase of the project.

Secondary Containment - containment that prevents liquids that leak from Fuel Storage Tanks or containers from reaching outside the containment area and includes double-walled Tanks, piping, liners, and impermeable barriers.

Sewage - all toilet wastes and Greywater.

Shut Down Period - The period between April 1 and December 31 each year, for the purpose of quarry construction and operation activities.

Spill Contingency Plan - a document, developed in accordance with Aboriginal Affairs and Northern Development Canada's *Guidelines for Spill Contingency Planning* that describes the set of procedures to be implemented to minimize the effects of a spill.

Safety Data Sheet - a technical document, typically written by the manufacturer or supplier of a chemical, that provides information about the hazards associated with the product, advice about safe handling and storage, and emergency response procedures.

Sump - a human-made pit or natural depression in the earth's surface used for the purpose of depositing Waste that does not contain Toxic Material, such as non-toxic Drilling Waste or Sewage, therein.

Toxic Material - any substance that enters or may enter the environment in a quantity or concentration or under conditions such that it:

- a) Has or may have an immediate or long-term harmful effect on the environment or its biological diversity;
- b) Constitutes or may constitute a danger to the environment on which life depends; or
- c) Constitutes or may constitute a danger in Canada to human life or health.

Waste - any garbage, debris, chemical, or Toxic Material to be used, stored, disposed of, or handled on land, and as defined in section 51 of the Act.

Waste Management Plan - a document, developed in accordance with the Board's Guidelines for Developing a Waste Management Plan, that describes the methods of Waste management from Waste generation to final disposal.

Watercourse - a natural body of flowing or standing water or an area occupied by water during part of the year, and includes streams, springs, swamps, and gulches but does not include groundwater.

Part C: Conditions Applying to All Activities (headings correspond to subsection 26(1) of the Mackenzie Valley Land Use Regulations)

26(1)(a) Location and Area

- | | | |
|----|---|-------------------------------------|
| 1. | The Permittee shall only conduct this land-use operation on lands designated in the application. | LOCATION OF ACTIVITIES |
| 2. | The Permittee shall not conduct any part of the land-use operation within 500 metres of any privately owned or leased land or structures, including cabins used for traditional activities, unless otherwise approved by the Board.
<i>A setback of 300 m is commonly used.</i> | PRIVATE PROPERTY SETBACK |
| 3. | The Permittee shall locate all camps on Durable Land or previously cleared areas, and a minimum of 100 metres from the Ordinary High Water Mark. The final camp location shall be approved by the Inspector.
<i>Added to reflect application.</i> | CAMP SETBACK |
| 4. | The Permittee shall submit to the Board, for approval, and prior to Project commencement, a detailed Camp Plan for the camp size and layout. The Plan shall include, but not be limited to: <ul style="list-style-type: none"> a) Location and distance from any waterbody; b) Number, type, and square footage of structures; c) Number of personnel projected to be on-site and total person-days for the camp operation; d) Final methods for the treatment and disposal of greywater and sewage; e) Site map that depicts locations of all potentially spillable materials and locations of spill kits. <i>New non-standard condition</i> | CAMP PLAN |
| 5. | The Permittee shall not locate any Sump within 100 metres of the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector.
<i>To be included if a sump is approved for the camp</i> | SUMP SETBACK |
| 6. | The Permittee shall not conduct a quarry operation within 100 metres of the Ordinary High Water Mark of any Watercourse, except as described in the Application.
<i>GNWT-INF will get DFO authorizations if required</i> | QUARRY SETBACK |
| 7. | The Permittee shall locate all lines, trails, and right-of-ways to be constructed parallel to any Watercourse a minimum of 100 metres from the Ordinary High Water Mark, except at crossings. | PARALLEL WATERCOURSE SETBACK |
| 8. | The Permittee shall not construct parallel lines or roads unless an existing line or road cannot be used. | PARALLEL ROADS |

- | | |
|---|---|
| <p>9. The Permittee shall confine the width of the right-of-way to a maximum of 20 metres.
<i>Specifically requested in the application</i></p> | <p>WIDTH RIGHT-OF-WAY</p> |
| <p>10. Prior to the commencement of the land-use operation, the Permittee shall mark each corner of the land-use area.
<i>The quarry will be available for other projects at completion of Project.</i></p> | <p>MARK AREA</p> |
| <p>11. The Permittee shall maintain the corner markings until the area is reclaimed.</p> <p>26(1)(b) Time</p> | <p>CORNER POSTS</p> |
| <p>12. At least 48 hours prior to the initial commencement of the land-use operation, the Permittee's Field Supervisor shall notify the Board and contact an Inspector at (867) 587-7206 or 587-7205.</p> | <p>INITIAL NOTIFICATION – CONTACT INSPECTOR</p> |
| <p>13. At least 48 hours prior to returning to the worksite following a seasonal Shut Down Period, the Permittee's Field Supervisor shall notify the Board and contact an Inspector at (867) 587-7206 or 587-7205.</p> | <p>SEASONAL NOTIFICATION – CONTACT INSPECTOR</p> |
| <p>14. At least 48 hours prior to commencement of the land-use operation, the Permittee shall provide the following information, in writing, to the Board and an Inspector:</p> <ul style="list-style-type: none"> a) the name(s) of the person(s) in charge of the field operation; b) alternates; and c) all methods for contacting the above person(s). | <p>IDENTIFY AGENT</p> |
| <p>15. At least ten days prior to the Shut Down Period, the Permittee shall advise an Inspector of:</p> <ul style="list-style-type: none"> a) the plan for removal or storage of equipment and materials; and b) when cleanup and Progressive Reclamation of the land used will be completed. | <p>REPORTS BEFORE SEASONAL REMOVAL</p> |
| <p>16. At least ten days prior to the completion of the land-use operation, the Permittee shall advise an Inspector of:</p> <ul style="list-style-type: none"> a) the plan for removal or storage of equipment and materials; b) when final cleanup and reclamation of the land used will be completed; and c) when the Final Plan will be submitted. | <p>REPORTS BEFORE FINAL REMOVAL</p> |
| <p>17. The Permittee shall not conduct any quarrying activity during the Shut Down Period.</p> | <p>SEASONAL SHUT DOWN</p> |

Some vegetation clearing may occur in Sept-Dec and there is potential for erosion control measures to be installed and maintained from spring break-up through summer

26(1)(c) Type and Size of Equipment

- | | |
|--|-------------------------------|
| 18. The Permittee shall only use equipment of a similar type, size, and number to that listed in the complete application. | USE APPROVED EQUIPMENT |
|--|-------------------------------|

26(1)(d) Methods and Techniques

- | | |
|---|--|
| 19. The Permittee shall Dogleg lines, trails and right-of-ways that approach Watercourses or public roads. | DOGLEG APPROACHES |
| 20. The Permittee shall meander any new cut lines to a maximum sight line of 200 metres. | MEANDER LINES |
| 21. Prior to the movement of any vehicle that exerts pressure on the ground in excess of 35 kPa, the Permittee shall scout proposed lines and routes to select the best location for crossing streams and avoiding terrain obstacles. | DETOURS AND CROSSINGS |
| 22. The Permittee shall construct and maintain the overland portion of winter roads with a minimum of 10 cm of packed snow and/or ice at all times during this land-use operation. | WINTER ROADS |
| 23. The Permittee shall, wherever possible, leave 10 to 30 metres width vegetation buffer strips between cleared areas and access roads to provide visual barriers, and adjacent to watercourses to protect riparian habitat. | TREE SCREEN AND RIPARIAN BUFFER |

Condition modified to reflect wording in application- mitigation commitments

26(1)(e) Type, Location, Capacity, and Operation of All Facilities

- | | |
|---|------------------------|
| 24. The Permittee shall ensure that the land use area is always kept clean. | CLEAN WORK AREA |
|---|------------------------|

26(1)(f) Control or Prevention of Ponding of Water, Flooding, Erosion, Slides, and Subsidence of Land

- | | |
|--|------------------------------|
| 25. The Permittee shall insulate the ground surface beneath all structures associated with this land-use operation to prevent:
a) any vegetation present from being removed;
b) the melting of Permafrost; and
c) the ground settling and/or eroding. | PERMAFROST PROTECTION |
|--|------------------------------|

- | | |
|---|---|
| 26. The Permittee shall follow measures in the Quarry Operations Plan to reduce ponding, erosion, and damage to Permafrost during quarry operations and closure. | QUARRY OPERATIONS PLAN |
| <i>New condition to reflect applicants' mitigation commitments</i> | |
| 27. The land-use operation shall not cause obstruction to any natural drainage. | NATURAL DRAINAGE |
| 28. The Permittee shall install and maintain suitable erosion control structures as the land-use operation progresses. | PROGRESSIVE EROSION CONTROL |
| 29. The Permittee shall apply appropriate mitigation at the first sign of erosion. | REPAIR EROSION |
| 30. Prior to the commencement of the land-use operation, the Permittee shall submit a Project-specific Erosion and Sediment Control Plan to the Board, for approval.
<i>New condition to reflect applicants' mitigation commitments</i> | EROSION AND SEDIMENTATION CONTROL PLAN |
| 31. The Permittee shall only conduct off-road vehicle travel on snow-covered surfaces. | OFF-ROAD VEHICLE TRAVEL |
| 32. The Permittee shall prepare the site in such a manner as to prevent rutting or gouging of the ground surface. | PREVENTION OF RUTTING |
| 33. The Permittee shall suspend overland travel of equipment or vehicles at the first sign of rutting or gouging. | SUSPEND OVERLAND TRAVEL |
| 34. The Permittee shall not move any equipment or vehicles unless the ground surface is in a state capable of fully supporting the equipment or vehicles without rutting or gouging. | VEHICLE MOVEMENT FREEZE-UP |
| 35. The Permittee shall only use clean water and snow in the construction of ice bridges and snow fills. | CONSTRUCT ICE BRIDGES SNOWFILLS |
| 36. Prior to Spring Break-up or completion of the land-use operation, the Permittee shall clean up and either remove or v-notch all ice bridges and snowfills from stream crossings, unless otherwise authorized in writing by an Inspector. | REMOVE ICE BRIDGES/ SNOWFILLS |
| 37. The Permittee shall slope the sides of Waste material piles, excavations, and embankments — except in solid rock — to a minimum ratio of 2:1 vertical, unless otherwise authorized in writing by an Inspector. | EXCAVATION AND EMBANKMENTS |
| 38. The Permittee shall not remove vegetation or operate heavy equipment within 100 metres of the Ordinary High Water Mark of any Watercourse except as described in the application. | EQUIPMENT: WATERCOURSE BUFFER |

The project requires crossing of two small watercourses associated with Jungle Creek

26(1)(g) Use, Storage, Handling, and Ultimate Disposal of Any Chemical or Toxic Material

39. Prior to the expiry date of this Permit or the end of the land-use operation whichever comes first, the Permittee shall backfill and restore all Sumps, unless otherwise authorized in writing by an Inspector.

**RECLAIM
SUMPS**

This condition to be included if use of sumps is approved

40. The Permittee shall dispose of all Toxic Material as described in the approved Waste Management Plan.

**WASTE CHEMICAL
DISPOSAL**

41. The Permittee shall dispose of all combustible Waste petroleum products by removal to an approved disposal facility.

**WASTE
PETROLEUM
DISPOSAL**

42. The Permittee shall provide written notification to the Board and Inspector a minimum of 10 days prior to the initial deposit of Waste, demonstrating that the licenced disposal facility has agreed to accept the Waste and has the capacity to receive the volumes of Waste requested.

**NOTIFICATION OF
SOLID WASTE
DISPOSAL**

Notification for Town of Norman Wells to accept solid and liquid waste has been provided. Do we need to keep this condition?

26(1)(h) Wildlife and Fish Habitat

43. The Permittee shall take all reasonable measures to prevent damage to wildlife and fish Habitat during this land-use operation.

HABITAT DAMAGE

44. The Permittee shall not move any equipment or commence any drilling when one or more caribou are within 500 metres.

**CARIBOU
DISTURBANCE**

Included as per applicants' mitigation commitments

45. The Permittee shall not conduct any blasting within 100 metres of a fish-bearing watercourse.

**FISH
DISTURBANCE**

Included as per applicants' mitigation commitments

46. Prior to construction start and annual operation start, the permittee shall complete a survey for protected wildlife habitat features such as nests and dens and report any findings to GNWT-ENR for appropriate setback and/or timing restrictions.

**WILDLIFE HABITAT
SURVEY**

Included as per applicants' mitigation commitments

47. The Permittee shall follow measures in the **Wildlife Management and Mitigation Plan** to protect wildlife and wildlife habitat.
Included as per applicants' mitigation commitments

**WILDLIFE
MANAGEMENT
AND MONITORING
PLAN**

26(1)(i) Storage, Handling, and Disposal of Refuse or Sewage

48. The Permittee shall dispose of all Waste as described in the **Waste Management Plan**, once approved, and shall annually review the plan and make any necessary revisions to reflect changes in operations, technology, chemicals, or fuels, or as directed by the Board. Revisions to the plan shall be submitted to the Board for approval.

**WASTE
MANAGEMENT**

49. The Permittee shall keep all garbage and debris in a secure container until disposal.

**GARBAGE
CONTAINER**

50. The Permittee shall use a forced-air, fuel-fired incinerator, acceptable to an Inspector, to burn all combustible garbage and debris, except plastics. The incinerator, if used, shall meet CCME Canada Wide Standards for Dioxins, Furans, Mercury.

INCINERATION

To be included if use of an incinerator is approved.

51. The Permittee shall dispose of all Sewage and Greywater into a Sump located at least 100 metres from the Ordinary High Water Mark of any Watercourse **and outside of any ice-rich areas.**

**SEWAGE DISPOSAL
– SUMP
SETBACK**

Modified to reflect applicants' mitigation commitments. To be included if sump is approved.

52. The Permittee shall dispose of all Sewage and Greywater as described in the approved Waste Management Plan.

**SEWAGE DISPOSAL
- PLAN**

26(1)(j) Protection of Historical, Archaeological, and Burial Sites

53. The Permittee shall not operate any vehicle or equipment within 150 metres of a known or suspected historical or archaeological site or within 500 metres of a burial ground.

**ARCHAEOLOGICAL
BUFFER**

54. The Permittee shall not knowingly remove, disturb, or displace any archaeological specimen or site.

SITE DISTURBANCE

55. The Permittee shall, where a suspected archaeological or historical site, or burial ground is discovered:

**SITE DISCOVERY
AND
NOTIFICATION**

- a) immediately suspend operations on the site; and
- b) notify the Board at (867) 598-2413 or an Inspector at (867) **587-7206 or 587-7205**, and the Prince of Wales Northern Heritage Centre at 767-9347 ext. 71251 or ext. 71255.

26(1)(k) Objects and Places of Recreational, Scenic, and Ecological Value

- | | |
|--|---------------------------------|
| 56. The Permittee shall not conduct any activity within 4 kilometres of Bear Rock.
<i>Potential condition to ensure protection of culturally sacred Bear Rock site</i> | BUFFER / NO
ACTIVITY |
| 57. The Permittee shall take all reasonable precautions to avoid impacts to traditional trails and harvest areas.
<i>Gwich'in non-standard condition but reflects values to protect as expressed in TK study.</i> | TRADITIONAL USE |

26(1)(l) Security Deposit

- | | |
|--|--|
| 58. All costs to remediate the area under this Permit are the responsibility of the Permittee. | RESPONSIBILITY
FOR
REMIEDIATION
COSTS |
|--|--|

26(1)(m) Fuel Storage

- | | |
|--|--|
| 59. The Permittee shall:
a) examine all Fuel Storage Containers and Tank for leaks; and
b) repair all leaks immediately. | REPAIR LEAKS |
| 60. The Permittee shall place Fuel Storage Containers and or Tanks a minimum of 100 metres from the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector. | FUEL STORAGE
SETBACK |
| 61. The Permittee shall ensure that all fuel caches have adequate Secondary Containment. | FUEL CACHE
SECONDARY
CONTAINMENT |
| 62. The Permittee shall set up all refueling points with Secondary Containment. | SECONDARY
CONTAINMENT –
REFUELING |
| 63. The Permittee shall not allow petroleum products to spread to surrounding lands or Watercourses. | FUEL
CONTAINMENT |
| 64. The Permittee shall mark all Fuel Storage Containers and Tanks with the Permittee's name. | MARK
CONTAINERS AND
TANKS |
| 65. The Permittee shall mark all stationary fuel caches and fuel storage facilities with flags, posts, or similar devices so that they are always plainly visible to local vehicle travel. | MARK FUEL
LOCATION |
| 66. The Permittee shall have a maximum of 25,000 litres of fuel stored on the land use site at any time, unless otherwise approved by the Board. | MAXIMUM FUEL
ON SITE |

Amount noted in application

- | | |
|--|-------------------------------|
| 67. Within ten days of the establishment of any fuel cache, the Permittee shall report the location and quantity of the cache in writing to the Board and an Inspector. | REPORT FUEL LOCATION |
| 68. The Permittee shall seal all outlets of Fuel Storage Containers and store the containers on their sides with the outlets located at 3 and 9 o'clock, except for containers currently in use. | SEAL OUTLET |
| 69. The Permittee shall comply with the Spill Contingency Plan , once approved, and shall annually review the plan and make any necessary revisions to reflect changes in operations, technology, chemicals, or fuels, or as directed by the Board. Revisions to the plan shall be submitted to the Board for approval. | SPILL CONTINGENCY PLAN |
| 70. Prior to commencement of the land-use operation the Permittee shall ensure that spill-response equipment is in place to respond to any potential spills. | SPILL RESPONSE |
| 71. All equipment that may be parked for two hours or more, shall have a haz-mat/drip tray under it or be sufficiently diapered. Leaky equipment shall be repaired immediately. | DRIP TRAYS |
| 72. The Permittee shall clean up all leaks, spills, and contaminated material immediately | CLEAN UP SPILLS |
| 73. During the period of this Permit, if a spill occurs or is foreseeable, the Permittee shall: <ul style="list-style-type: none"> a) implement the approved Spill Contingency Plan; b) report it-immediately using the NU-NT Spill Report Form by one of the following methods: <ul style="list-style-type: none"> • Telephone: (867) 920-8130 • Fax: (867) 873-6924 • E-mail: spills@gov.nt.ca • <u>Online: Spill Reporting and Tracking Database</u> c) within 24 hours, notify the Board and an Inspector; and d) within 30 days of initially reporting the incident, submit a detailed report to the Board and an Inspector, including descriptions of causes, response actions, and any changes to procedures to prevent similar occurrences in the future. Any updates to this report shall be provided to the Board and an Inspector in writing as changes occur. | REPORT SPILLS |

26(1)(n) Methods and Techniques for Debris and Brush Disposal

- | | |
|--|--------------------------------|
| 74. The Permittee shall progressively dispose of all brush and trees; all disposals shall be completed prior to the end of this land use operation | BRUSH DISPOSAL / TIME |
| 75. The Permittee shall dispose of all unsalvageable trees, brush, and debris by: (a) windrowing, and mulching, where possible, to the side of the line; and (b) making breaks in the windrow of at least seven (7) metres wide at intervals of not more than three hundred and thirty (330) metres for passage of wildlife.
<i>Non-standard condition included to reflect applicants' mitigation commitments</i> | BRUSH DISPOSAL / METHOD |

- | | |
|--|--|
| 76. The Permittee shall not clear areas larger than identified in the complete application. | MINIMIZE AREA
CLEARED |
| 77. The Permittee shall clear by hand all trees and brush a minimum distance of 10 metres from the top edge of all stream banks and top edge of steep slopes, if required.
<i>Tree screens and riparian buffers will be used; however, there may be need to clear some edges.</i> | CLEARING
SENSITIVE AREA |
| 78. The Permittee shall salvage all portions of trees cleared that are larger than thirteen (13) centimetres in diameter and pile all salvaged wood at locations identified by an Inspector.
<i>Non-standard condition included based on applicants' mitigation commitments</i> | SALVAGE TIMBER |
| 26(1)(o) Restoration of the Lands | |
| 79. The Permittee shall save the organic soil stripped from the land use area and shall use the organic soil for reclamation as approved by the Board, or otherwise authorized in writing by an Inspector. | SAVE AND PLACE
ORGANIC SOIL |
| 80. Prior to the end of the land-use operation, the Permittee shall stabilize all stockpiles of granular material located within the land use area.
<i>Intention is to leave the Quarry in a stable but useable condition for future projects.</i> | STABILIZE
STOCKPILES |
| 81. Prior to the end of the land-use operation, the Permittee shall complete all cleanup and restoration of the lands used. | FINAL CLEANUP
AND
RESTORATION |
| 82. Prior to the end of the land-use operation, the Permittee shall prepare the site in such a manner as to facilitate natural revegetation. | NATURAL
VEGETATION |
| 83. The Permittee shall carry out Progressive Reclamation of disturbed areas as soon as it is practical to do so. | PROGRESSIVE
RECLAMATION |
| 84. Prior to the end of the land-use operation, the Permittee shall restore any trails impacted by the land-use operation by removing fallen trees and any other obstructions from the trails. | TRAILS
RESTORATION |
| 26(1)(p) Display of Permits and Permit Numbers | |
| 85. The Permittee shall display a copy of this Permit in each campsite established to carry out this land-use operation. | DISPLAY PERMIT |

26(1)(q) Biological and Physical Protection of the Land

- | | |
|---|---|
| 86. Prior to the commencement of the land-use operation, the Permittee shall submit a revised Waste Management Plan in accordance with MVLWB's " <i>Guidelines for Developing a Waste Management Plan</i> " to the Board for approval. | SUBMIT REVISED
WASTE
MANAGEMENT
PLAN |
| 87. Prior to the commencement of the land-use operation, the Permittee shall submit a revised Spill Contingency Plan in accordance with " <i>Aboriginal Affairs and Northern Development Canada's "Guidelines for Spill Contingency Planning"</i> " to the Board for approval. | SUBMIT REVISED
SPILL
CONTINGENCY
PLAN |
| 88. Prior to the commencement of the land-use operation, the Permittee shall submit a revised Final Wildlife Management and Monitoring Plan . | RESUBMIT FINAL
WILDLIFE
MANAGEMENT
AND MONITORING
PLAN |
| 89. The Permittee shall comply with the Engagement Plan , once approved, and shall annually review the plan and make any necessary revisions to reflect changes in operations or as directed by the Board. Revisions to the plan shall be submitted to the Board for approval. | ENGAGEMENT
PLAN |
| 90. All revised plans submitted to the Board shall include a brief summary of the changes made to the plan. | SUMMARY OF
CHANGES |

DRAFT

ANNEX A: Table of Submissions Required by Land Use Permit S21Q-004

Condition	Requirement	Submission Date(s)
4.	Submit Camp Plan to Board for approval	Prior to Project commencement*
14.	The name(s) of the person(s) in charge of the field operation; alternate; and all methods for contacting the above person(s) in writing to the Board and Inspector	48 hours prior to commencement of the land-use operation
30.	Submit Project-specific Erosion and Sediment Control Plan to Board for approval	Prior to project commencement*
46.	Complete a survey for protected wildlife habitat features such as nests and dens and report any findings to GNWT-ENR for appropriate setback and/or timing restrictions.	Prior to construction start and annual operations start.
48.	Waste Management Plan	Annual review. Update and re-submit following any revisions.
69.	Spill Contingency Plan	Annual review. Update and re-submit following any revisions.
86.	Resubmit Waste Management Plan to Board for approval	Prior to Project commencement*
87.	Resubmit Spill Contingency Plan to Board for approval	Prior to Project commencement*
88.	Resubmit Final Wildlife Management and Monitoring Plan to Board	Prior to Project commencement
89.	Engagement Plan	Annual review. Update and re-submit following any revisions.

*Plans that require Board approval should be submitted a minimum 60-90 days prior to Project commencement

ANNEX B: Revisions to Land Use Permit S21Q-004

List of changes that have been made to the Land Use Permit since issuance.

Date	Location of Change	Details of Change