



## SAHTU Land and Water Board

P.O Box 1  
Fort Good Hope, NT  
X0E 0H0  
Phone: 867-598-2413  
Fax: 867-598-2325  
[www.slwb.com](http://www.slwb.com)

March 19, 2021

File: S21S-001

Patricia Coyne,  
Senior Environmental Analyst  
Strategic Infrastructure  
Dept. of Infrastructure  
Government of the Northwest Territories  
PO Box 1320  
YELLOWKNIFE, NT X1A 2L9

Sent by Email

Dear Ms. Coyne:

### **Issuance of Type A Land Use Permit: Edie Lake Quarry Geotechnical Investigation, Tulita District, NWT.**

Attached is Type A Land Use Permit S21S-001 granted by the Sahtu Land and Water Board (SLWB or the Board) in accordance with the Mackenzie Valley Resource Management Act. This Permit has been approved for a period of five years commencing March 8, 2021 and expiring March 7, 2026.

#### Preliminary Screening Report

SLWB has screened the activities under Edie Lake Quarry Geotechnical Investigation Project and the preliminary screening was approved and forwarded to the Mackenzie Valley Environment Review Board (MVEIRB) on March 8, 2021. No referral to Environmental Assessment was received by the evening of March 18, 2021 and therefore the Board issue the Land Use Permit.

#### LUP and Reasons for Decision

The Board has issued a type A Land use Permit S21S-001 with a term of five years commencing March 8, 2021 and expiring March 7, 2026 (attached) with supporting Reasons for Decision (attached). The Board directs GNWT-INF to ensure compliance with Permit S21S-001 and all applicable Federal, Territorial, Deline, Tliche, and municipal legislation.

#### Security

As per section 94 of *Mackenzie Valley Resource Management Act (MVRMA)*, the territorial government shall not be required to post security pursuant to section 71 of MVRMA.

#### Management Plans- Approved

The Board hereby approves the Engagement Plan and Record and Permafrost and Erosion management Plan, as submitted on Jan 25, 2021.

Management Plans – Revisions Required 60 Days Prior to Commencement of Project Activities

GNWT-INF is required to submit revised submissions of the following plans a minimum of 60 days prior to commencement of activities in accordance with comments and recommendations made during the review of the LUP Application S21S-001, for confirmation of conformity from Board staff.

Condition Number	Title of Plan	Revisions Required
48	Spill Contingency Plan	SCP must be revised in accordance with <i>Guidelines for Spill Contingency Planning (Indian and Northern Affairs Canada, 2007)</i> . Revised SCP must include: a) spill response flowchart, b) NT-NU Spill Response Form, c) contact information from contractors (spill response team), d) update unit of weights in table 7-1, e) specific parking locations of pick-up trucks with fuel.
33	Waste Management Plan	WMP must be revised with a user-friendly table listing all anticipated waste, expected quantity, method of disposal and final disposal location. INF must specify how and where hazardous waste will be disposed of.

Public Registry

A copy of this Permit has been filed on the Public Registry at the SLWB office. Please be advised that this letter, with its attached procedures, inspection reports, and related correspondence is part of the Public Registry and is intended to keep all interested parties informed of the manner in which the Permit requirements are being met.

The full cooperation of GNWT-INF is anticipated and appreciated. If you have any questions or concerns, please contact Aswathy Mary Varghese, Regulatory Specialist at (867) 598-2413 ext. 3, or e-mail [ash.varghese@slwb.com](mailto:ash.varghese@slwb.com).

Yours Sincerely,



Larry Wallace  
Chair

Copied to: Tulita Distribution List  
Eric Vanderberg, GNWT-INF  
Christopher Wasylyshyn-Ondris, Inspector, GNWT-Lands (Sahtu)