



PO Box 32, Wekweètì NT X0E 1W0
Tel: 867-713-2500 Fax: 867-713-2502

#1-4905 48th Street, Yellowknife NT X1A 3S3
Tel: 867-765-4592 Fax: 867-765-4593
www.wlwb.ca

January 4, 2022

File: W2021F0010

Alexis Campbell
Government of the Northwest Territories - DTS - Environmental Affairs Infrastructure
4th floor, New Government Building
PO Box 1320
5015 – 49th Street
Yellowknife, NT X1A 2L9

Sent by email

Dear Alexis Campbell,

Re: GNWT-INF – Renewal Issuance Package – Land Use Permit W2021F0010 – Wekweètì Winter Road – Wekweètì, NT

The Wek'èezhì Land and Water Board (Board) met on December 21, 2021 and considered the renewal Application from the Government of the Northwest Territories – Infrastructure (GNWT-INF) for Land Use Permit W2021F0010 (formerly W2014F0003) for the construction, operation, and maintenance of the Wekweètì Winter Road from the Gamètì Winter Road Junction to the Community of Wekweètì, in accordance with the *Mackenzie Valley Resource Management Act* (MVRMA).

The Board has approved Land Use Permit (Permit) W2021F0010 (attached) for a term of five years, effective January 4, 2022, and expiring January 3, 2027. The Permit is supported by the Board's attached Reasons for Decision. These documents are posted to the Board's Public Registry.¹

Submission Requirements

The Board's decisions on submissions that were considered in conjunction with the Application Package are set out below.

¹ See WLWB Online Registry www.wlwb.ca/ for [W2021F0010](#).

Management Plans – Approved

The Board has approved the following Plans:

Condition Number and Title	Title of Plan (Version)
#40, WASTE MANAGEMENT PLAN	Waste Management Plan for the Wekweètì Winter Road Construction, Operations and Maintenance (V 2.0) ²
#59, SPILL CONTINGENCY PLAN	Spill Contingency Plan for the Wekweètì Winter Road Construction, Operations and Maintenance (V 4.0) ³
#76, ENGAGEMENT PLAN	Engagement Plan for the Wekweètì Winter Road Construction, Operations and Maintenance (V 3.0) ⁴

When these Plans are next revised and submitted, the Plans must include the changes detailed in the Reasons for Decision.

Management Plans – Revisions Required

The Board requires that the Engagement Plan (V 3.0) be revised to include all changes detailed in the Reasons for Decision and submitted within 30 days of Permit issuance. The revised Plan will be considered approved when the Permittee receives written confirmation of conformity.

Inspectors

The Inspectors referred to in the Permit can be contacted at the regional GNWT-Lands offices.⁵

Permit Processes and Additional Information

Sections 5 and 6 of the Board's *Guide to the Land Use Permitting Process*⁶ (Guide) contain detailed information on permit enforcement and potential post-issuance processes, such as amendments to conditions, and assignment to another company. Please be familiar with these sections of the Guide and reach out to Board staff with any questions about Board processes related to the Permit.

Full cooperation of the GNWT-INF is anticipated and appreciated. Please contact Emily Finstad at (867) 765-4582 with any questions or concerns regarding this letter.

² See WLWB Online Registry for [GNWT-INF - Wekweeti Winter Road - Waste Management Plan - Version 2.0 - Nov 8 21](#).

³ See WLWB Online Registry for [GNWT-INF - Wekweeti Winter Road - Spill Contingency Plan - Version 4.0 - Nov 8 21](#).

⁴ See WLWB Online Registry for [GNWT-INF - Wekweeti Winter Road - Engagement Plan - Version 3.0 - Nov 8 21](#).

⁵ See GNWT-Lands Inspection and Enforcement webpage (<https://www.lands.gov.nt.ca/en/services/inspections-and-enforcement>) for regional contact information.

⁶ See WLWB Policies and Guidelines webpage for MVLWB [Guide to the Land Use Permitting Process](#).

Yours sincerely,



Mason Mantla
Chair, Wek'èezhìi Land and Water Board

BCC'd to: Wek'èezhìi ORS Distribution List
 Alexis Campbell, GNWT-INF
 Clint Ambrose – Inspector, GNWT-Lands
 Patti Nightingale, GNWT-Lands

Attached: Land Use Permit W2021F0010



PO Box 32, Wekweètì NT X0E 1W0
Tel: 867-713-2500 Fax: 867-713-2502

#1-4905 48th Street, Yellowknife NT X1A 3S3
Tel: 867-765-4592 Fax: 867-765-4593
www.wlwb.ca

**Government of the Northwest Territories Department of Infrastructure
Land Use Permit W2021F0010**

Pursuant to the *Mackenzie Valley Resource Management Act* and Mackenzie Valley Land Use Regulations, the Wek'èezhìi Land and Water Board grants this Land Use Permit to:

Government of the Northwest Territories – Infrastructure
(Permittee)

of PO Box 1320, Yellowknife, NT, X1A 2L9
(Mailing Address)

hereinafter called the Permittee, to proceed with the following land-use operation, subject to the annexed definitions and conditions contained therein:

Location:	Winter road from the Gamètì Winter Road Junction to the Community of Wekweètì
Purpose:	Private Construction Roads – Winter Road to Wekweètì
Type:	Type A
Effective Date:	January 4, 2022
Expiry Date:	January 3, 2027

A handwritten signature in black ink, appearing to read "Mason Mantla".

**Mason Mantla, Chair
Wek'èezhìi Land and Water Board**

A handwritten signature in black ink, appearing to read "Emily Finstad".

Emily Finstad, Witness

Conditions Annexed to and Forming Part of Land Use Permit # W2021F0010

Part A: Scope of Permit

1. This Permit entitles the Permittee to conduct the following land-use operation:
 - a) Construction, operation and maintenance of the Wekweètì Winter Road from the Gamètì Winter Road Junction to the Community of Wekweètì.

Min 63°14' 38.4" N, 114° 10' 52.3" W & Max 64° 19' 08.9" N, 116°37.29.3" W
 - b) The use of a vehicle or machine of a weight equalling or exceeding 10 tonnes.
 - c) The establishment and use of petroleum fuel storage facilities.
 - d) The use of self-propelled motorized machine for moving earth or clearing land.
 - e) The use of motorized earth drilling machinery.
 - f) The establishment and use of campsites.
 - g) Construction of realignments of the Wekweètì Winter Road.
 - h) Quarrying.
2. This Permit is issued subject to the conditions contained herein with respect to the use of land for the activities and area identified in Part A, item 1 of this Permit.
3. Compliance with the terms and conditions of this Permit does not excuse the Permittee from its obligation to comply with the requirements of any applicable Federal, Territorial, Deline, Tłıchǫ, or Municipal laws.

Part B: Definitions (defined terms are capitalized throughout the Permit)

Act - the *Mackenzie Valley Resource Management Act*.

Archaeological Impact Assessment - archaeological research as defined by the Prince of Wales Northern Heritage Centre *Guidelines for Developers for the Protection of Archaeological Sites in the Northwest Territories*.

Archaeological Overview - a study of archaeological sites as defined by the Prince of Wales Northern Heritage Centre *Guidelines for Developers for the Protection of Archaeological Sites in the Northwest Territories*.

Board - the Mackenzie Valley Land and Water Board established under Part 4 of the Act.

Drilling Waste - all materials or chemicals, solid or liquid, associated with drilling, including drill cuttings and Drilling Fluids.

Durable Land - land that is able to withstand repeated use, such as gravel or sand with minimal vegetative cover.

Engagement Plan - a document, developed in accordance with the Board's *Engagement and Consultation Policy* and the *Engagement Guidelines for Applicants and Holders of Water Licences and Land Use Permits*, that clearly describes how, when, and which engagement activities will occur with an affected party during the life of the project.

Fuel Storage Container - a container for the storage of petroleum or allied petroleum products with a capacity of less than 230 litres.

Fuel Storage Tank - a closed container for the storage of petroleum or allied petroleum products with a capacity of more than 230 litres.

Greywater - all liquid wastes from showers, baths, sinks, kitchens, and domestic washing facilities but not including toilet wastes.

Habitat - the area or type of site where a species or an individual of a species of wildlife naturally occurs or on which it depends, directly or indirectly, to carry out its life processes.

Inspector - an Inspector designated by the Minister under the Act.

Minister - the Minister of Indian Affairs and Northern Development Canada or the Minister of the Government of the Northwest Territories – Department of Lands, as the case may be.

Ordinary High-Water Mark - the usual or average level to which a body of water rises at its highest point and remains for sufficient time so as to change the characteristics of the land. In flowing waters (rivers, streams) this refers to the "active channel/bank-full level" which is often the 1:2 year flood flow return level. In inland lakes, wetlands, or marine environments, it refers to those parts of the Watercourse bed and banks that are frequently flooded by water so as to leave a mark on the land and where the natural vegetation changes from predominately aquatic vegetation to terrestrial vegetation (excepting water tolerant species). For reservoirs, this refers to normal high operating levels (full supply level).

Permittee - the holder of this permit.

Permafrost - ground (soil or rock) that remains at or below 0°C for at least two consecutive years.

Progressive Reclamation - Closure and Reclamation activities conducted during the operating phase of the project.

Secondary Containment - containment that prevents liquids that leak from Fuel Storage Tanks or containers from reaching outside the containment area and includes double-walled Tanks, piping, liners, and impermeable barriers.

Sewage - all toilet wastes and Greywater.

Spill Contingency Plan - a document, developed in accordance with Aboriginal Affairs and Northern Development Canada's *Guidelines for Spill Contingency Planning* that describes the set of procedures to be implemented to minimize the effects of a spill.

Spring Break-up – April 15 each year, for the purpose of this operation.

Safety Data Sheet - a technical document, typically written by the manufacturer or supplier of a chemical, that provides information about the hazards associated with the product, advice about safe handling and storage, and emergency response procedures.

Sump - a human-made pit or natural depression in the earth's surface used for the purpose of depositing Waste that does not contain Toxic Material, such as non-toxic Drilling Waste or Sewage, therein.

Toxic Material - any substance that enters or may enter the environment in a quantity or concentration or under conditions such that it:

- a) Has or may have an immediate or long-term harmful effect on the environment or its biological diversity;
- b) Constitutes or may constitute a danger to the environment on which life depends; or
- c) Constitutes or may constitute a danger in Canada to human life or health.

Waste - any garbage, debris, chemical, or Toxic Material to be used, stored, disposed of, or handled on land, and also as defined in section 51 of the Act.

Waste Management Plan - a document, developed in accordance with the Board's Guidelines for Developing a Waste Management Plan, that describes the methods of Waste management from Waste generation to final disposal.

Watercourse - a natural body of flowing or standing water or an area occupied by water during part of the year, and includes streams, springs, swamps and gulches but does not include groundwater.

Part C: Conditions Applying to All Activities (headings correspond to subsection 26(1) of the Mackenzie Valley Land Use Regulations)

26(1)(a) Location and Area

- | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| 1. | The Permittee shall only conduct this land-use operation on lands designated in the application. | LOCATION OF ACTIVITIES |
| 2. | The Permittee shall not conduct any part of the land-use operation within 300 metres of any privately owned or leased land or structures, including cabins used for traditional activities, unless otherwise approved by the Board. | PRIVATE PROPERTY SETBACK |
| 3. | The Permittee shall locate all camps on Durable Land or previously cleared areas, and a minimum of 100 metres from the Ordinary High Water Mark. | CAMP SETBACK |
| 4. | Prior to the commencement of drilling, the Permittee shall submit the target areas and final drill hole locations on a 1:50,000-scale map with coordinates and map datum to the Board and an Inspector. | DRILL LOCATIONS |
| 5. | The Permittee shall not conduct a drilling operation or construct an adit or drill site within 100 metres of the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector. | DRILLING/ ADIT SETBACK |
| 6. | The Permittee shall not locate any Sump within 100 metres of the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector. | SUMP SETBACK |
| 7. | The Permittee shall ground truth road re-alignments both in the summer and winter conditions prior to any clearing of land, and submit the proposed re-alignment to the Inspector and the Board for approval. | DETOURS |
| 8. | The Permittee shall not conduct a quarry operation within 100 metres of the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector. | QUARRY SETBACK |
| 9. | The Permittee shall not construct parallel lines or roads, unless an existing line or road cannot be used. | PARALLEL ROADS |
| 10. | The Permittee shall confine the width of the right-of-way to a maximum of 12 metres. | WIDTH RIGHT-OF-WAY |

26(1)(b) Time

- | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| 11. | At least 48 hours prior to the initial commencement of the land-use operation, the Permittee's Field Supervisor shall notify the Board and contact an Inspector at (867) 767-9188. | INITIAL NOTIFICATION – CONTACT INSPECTOR |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|

- | | | |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| 12. | At least 48 hours prior to commencement of the land-use operation, the Permittee shall provide the following information, in writing, to the Board and an Inspector:

a) the name(s) of the person(s) in charge of the field operation;
b) alternates; and
c) all methods for contacting the above person(s). | IDENTIFY AGENT |
| 13. | At least ten days prior to Spring Break-up, the Permittee shall advise an Inspector of:

a) the plan for removal or storage of equipment and materials; and
b) when cleanup and Progressive Reclamation of the land used will be completed. | REPORTS BEFORE SEASONAL REMOVAL |
|
26(1)(c) Type and Size of Equipment | | |
| 14. | The Permittee shall only use equipment of a similar type, size, and number to that listed in the complete application. | USE APPROVED EQUIPMENT |
|
26(1)(d) Methods and Techniques | | |
| 15. | The Permittee shall construct and maintain the overland portion of winter roads with a minimum of 10 cm of packed snow and/or ice at all times during this land-use operation. | WINTER ROADS |
| 16. | The Permittee shall not erect camps or store material, other than that required for immediate use, on the ice surface of a Watercourse. | STORAGE ON ICE |
|
26(1)(e) Type, Location, Capacity, and Operation of All Facilities | | |
| 17. | The Permittee shall ensure that the land use area is kept clean at all times. | CLEAN WORK AREA |
|
26(1)(f) Control or Prevention of Ponding of Water, Flooding, Erosion, Slides, and Subsidence of Land | | |
| 18. | The Permittee shall install and maintain culverts such that scouring does not occur. | CULVERT SIZE |
| 19. | The Permittee shall insulate the ground surface beneath all structures associated with this land-use operation to prevent:

a) any vegetation present from being removed;
b) the melting of Permafrost; and
c) the ground settling and/or eroding. | PERMAFROST PROTECTION |
| 20. | The land-use operation shall not cause obstruction to any natural drainage. | NATURAL DRAINAGE |

21.	The Permittee shall install and maintain suitable erosion control structures as the land-use operation progresses.	PROGRESSIVE EROSION CONTROL
22.	The Permittee shall apply appropriate mitigation at the first sign of erosion.	REPAIR EROSION
23.	The Permittee shall prepare the site in such a manner as to prevent rutting or gouging of the ground surface.	PREVENTION OF RUTTING
24.	The Permittee shall suspend overland travel of equipment or vehicles at the first sign of rutting or gouging.	SUSPEND OVERLAND TRAVEL
25.	The Permittee shall not move any equipment or vehicles unless the ground surface is in a state capable of fully supporting the equipment or vehicles without rutting or gouging.	VEHICLE MOVEMENT FREEZE-UP
26.	The Permittee shall only use clean water and snow in the construction of ice bridges and snow fills.	CONSTRUCT ICE BRIDGES SNOWFILLS
27.	Prior to Spring Break-up or completion of the land-use operation, the Permittee shall clean up and either remove or v-notch all ice bridges and snowfills from stream crossings, unless otherwise authorized in writing by an Inspector.	REMOVE ICE BRIDGES/ SNOWFILLS
28.	The Permittee shall minimize approach grades on all Watercourse crossings.	MINIMIZE APPROACH
29.	The Permittee shall slope the sides of Waste material piles, excavations, and embankments — except in solid rock — to a minimum ratio of 2:1 vertical, unless otherwise authorized in writing by an Inspector.	EXCAVATION AND EMBANKMENTS
26(1)(g) Use, Storage, Handling, and Ultimate Disposal of Any Chemical or Toxic Material		
30.	At least seven days prior to the use of any chemicals that were not identified in the complete application, the Safety Data Sheets must be provided to the Board and an Inspector.	CHEMICALS
31.	When drilling within 100 metres of the Ordinary High Water Mark of any Watercourse, and when drilling on ice, the Permittee shall contain all drill water and Drilling Waste in a closed circuit system for reuse, off-site disposal, or deposit into a land-based Sump or natural depression.	DRILLING NEAR WATER OR ON ICE
32.	The Permittee may deposit Drilling Waste that does not contain Toxic Material in a Sump. Any Sumps or natural depressions used to deposit Drilling Waste must be located at least 100 metres from the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector.	DRILLING WASTE

- | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| 33. | The Permittee shall remove all Drilling Waste containing Toxic Material to an approved disposal facility. | DRILLING WASTE
DISPOSAL |
| 34. | The Permittee shall not allow any Drilling Waste to spread to the surrounding lands or Watercourses. | DRILLING WASTE
CONTAINMENT |
| 35. | Prior to the expiry date of this Permit or the end of the land-use operation whichever comes first, the Permittee shall backfill and restore all Sumps, unless otherwise authorized in writing by an Inspector. | RECLAIM
NON-OIL AND GAS
SUMPS |
| 36. | The Permittee shall dispose of all Toxic Material as described in the approved Waste Management Plan. | WASTE CHEMICAL
DISPOSAL |
| 37. | The Permittee shall dispose of all combustible Waste petroleum products by removal to an approved disposal facility. | WASTE PETROLEUM
DISPOSAL |
| 38. | The Permittee shall provide written notification to the Board and Inspector a minimum of 10 days prior to the initial deposit of Waste, demonstrating that the licenced disposal facility has agreed to accept the Waste and has the capacity to receive the volumes of Waste requested. | NOTIFICATION OF
SOLID WASTE
DISPOSAL |

26(1)(h) Wildlife and Fish Habitat

- | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| 39. | The Permittee shall take all reasonable measures to prevent damage to wildlife and fish Habitat during this land-use operation. | HABITAT DAMAGE |
|-----|---------------------------------------------------------------------------------------------------------------------------------|-----------------------|

26(1)(i) Storage, Handling, and Disposal of Refuse or Sewage

- | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| 40. | The Permittee shall dispose of all Waste as described in the Waste Management Plan , once approved, and shall annually review the plan and make any necessary revisions to reflect changes in operations, technology, chemicals, or fuels, or as directed by the Board. Revisions to the plan shall be submitted to the Board for approval. | WASTE
MANAGEMENT |
| 41. | The Permittee shall dispose of all garbage, Waste, and debris as described in the approved Waste Management Plan , unless otherwise authorized in writing by an Inspector. | REMOVE GARBAGE |
| 42. | The Permittee shall keep all garbage and debris in a secure container until disposal. | GARBAGE
CONTAINER |
| 43. | The Permittee shall dispose of all Sewage and Greywater into a Sump at least 100 metres from the Ordinary High Water Mark of any Watercourse. | SEWAGE DISPOSAL –
SUMP
SETBACK |

26(1)(j) Protection of Historical, Archaeological, and Burial Sites

44.	The Permittee shall not operate any vehicle or equipment within 150 metres of a known or suspected historical or archaeological site or burial ground except for archaeological sites LbPI-14, KkPm-8, and KjPm-2.	ARCHAEOLOGICAL BUFFER
45.	The Permittee shall not knowingly remove, disturb, or displace any archaeological specimen or site.	SITE DISTURBANCE
46.	The Permittee shall, where a suspected archaeological or historical site, or burial ground is discovered: a) immediately suspend operations on the site; b) notify the Board at (867) 765-4592 or an Inspector at (867) 767-9188, and the Prince of Wales Northern Heritage Centre at 767-9347 ext. 71251 or ext. 71255; and c) notify the Manager of Research Operations of the Tłıchǵ Government at (867) 392-6381 ext. 1357 and lands@tlichgo.ca	SITE DISCOVERY AND NOTIFICATION
47.	At least 60 days prior to any new land disturbance, including new drill sites, the Permittee shall conduct an Archaeological Overview to identify areas of high and low potential for archaeological and burial sites and shall submit a summary report to the Board, the Prince of Wales Northern Heritage Centre, and the Tłıchǵ Government.	ARCHAEOLOGICAL OVERVIEW
48.	Prior to disturbance in areas of high potential for archaeological or burial sites identified in the Archaeological Overview, the Permittee shall conduct an Archaeological Impact Assessment of the sites where disturbance is planned and shall submit a summary report to the Board, the Prince of Wales Northern Heritage Centre, and the Tłıchǵ Government.	AIA – HIGH POTENTIAL
26(1)(m) Fuel Storage		
49.	The Permittee shall: a) examine all Fuel Storage Containers and Tank for leaks; and b) repair all leaks immediately.	REPAIR LEAKS
50.	The Permittee shall place Fuel Storage Containers and or Tanks a minimum of 100 metres from the Ordinary High Water Mark of any Watercourse, unless otherwise authorized in writing by an Inspector.	FUEL STORAGE SETBACK
51.	The Permittee shall ensure that all fuel caches have adequate Secondary Containment.	FUEL CACHE SECONDARY CONTAINMENT
52.	The Permittee shall set up all refueling points with Secondary Containment.	SECONDARY CONTAINMENT – REFUELING

- | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| 53. | The Permittee shall not allow petroleum products to spread to surrounding lands or Watercourses. | FUEL CONTAINMENT |
| 54. | The Permittee shall locate mobile fuel facilities on land when the facilities are stationary for more than 12 hours. | FUEL ON LAND |
| 55. | The Permittee shall mark all stationary fuel caches and fuel storage facilities with flags, posts, or similar devices so that they are at all times plainly visible to local vehicle travel. | MARK FUEL LOCATION |
| 56. | The Permittee shall have a maximum of 70,000 litres of fuel stored on the land use site at any time, unless otherwise approved by the Board. | MAXIMUM FUEL ON SITE |
| 57. | Within ten days of the establishment of any fuel cache, the Permittee shall report the location and quantity of the cache in writing to the Board and an Inspector. | REPORT FUEL LOCATION |
| 58. | The Permittee shall seal all outlets of Fuel Storage Containers and store the containers on their sides with the outlets located at 3 and 9 o'clock, except for containers currently in use. | SEAL OUTLET |
| 59. | The Permittee shall comply with the Spill Contingency Plan , once approved, and shall annually review the plan and make any necessary revisions to reflect changes in operations, technology, chemicals, or fuels, or as directed by the Board. Revisions to the plan shall be submitted to the Board for approval. | SPILL CONTINGENCY PLAN |
| 60. | Prior to commencement of the land-use operation the Permittee shall ensure that spill-response equipment is in place to respond to any potential spills. | SPILL RESPONSE |
| 61. | All equipment that may be parked for two hours or more, shall have a haz-mat/drip tray under it or be sufficiently diapered. Leaky equipment shall be repaired immediately. | DRIP TRAYS |
| 62. | The Permittee shall clean up all leaks, spills, and contaminated material immediately. | CLEAN UP SPILLS |
| 63. | <p>During the period of this Permit, if a spill occurs or is foreseeable, the Permittee shall:</p> <ol style="list-style-type: none"> a) implement the approved Spill Contingency Plan; b) report it-immediately using the NU-NT Spill Report Form by one of the following methods: <ul style="list-style-type: none"> • Telephone: (867) 920-8130 • Fax: (867) 873-6924 • E-mail: spills@gov.nt.ca • <u>Online: Spill Reporting and Tracking Database</u> c) within 24 hours, notify the Board and an Inspector; and d) within 30 days of initially reporting the incident, submit a detailed report to the Board and an Inspector, including descriptions of causes, response actions, and any changes to procedures to prevent similar occurrences in | REPORT SPILLS |

the future. Any updates to this report shall be provided to the Board and an Inspector in writing as changes occur.

26(1)(n) Methods and Techniques for Debris and Brush Disposal

- | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| 64. | The Permittee shall progressively dispose of all brush and trees; all disposal shall be completed prior to the end of this land use operation. | BRUSH DISPOSAL/
TIME |
| 65. | The Permittee shall not clear areas larger than identified in the complete application. | MINIMIZE AREA
CLEARED |

26(1)(o) Restoration of the Lands

- | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| 66. | The Permittee shall dispose of all overburden as approved by the Board, or as otherwise authorized in writing by an Inspector. | DISPOSAL OF
OVERBURDEN |
| 67. | The Permittee shall save the organic soil stripped from the land use area and shall use the organic soil for reclamation as approved by the Board, or otherwise authorized in writing by an Inspector. | SAVE AND PLACE
ORGANIC SOIL |
| 68. | Prior to the end of the land-use operation, the Permittee shall level all stockpiles of granular material located within the land use area. | LEVEL STOCKPILES |
| 69. | Prior to the end of the land-use operation, the Permittee shall complete all cleanup and restoration of the lands used. | FINAL CLEANUP AND
RESTORATION |
| 70. | Prior to the end of the land-use operation, the Permittee shall prepare the site in such a manner as to facilitate natural revegetation. | NATURAL
VEGETATION |
| 71. | The Permittee shall carry out Progressive Reclamation of disturbed areas as soon as it is practical to do so. | PROGRESSIVE
RECLAMATION |

26(1)(p) Display of Permits and Permit Numbers

- | | | |
|-----|----------------------------------------------------------------------------------------------------------------------|-----------------------|
| 72. | The Permittee shall display a copy of this Permit in each campsite established to carry out this land-use operation. | DISPLAY PERMIT |
|-----|----------------------------------------------------------------------------------------------------------------------|-----------------------|

26(1)(q) Biological and Physical Protection of the Land

- | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| 73. | The Permittee shall not move any equipment or commence any drilling when one or more caribou are within 500 metres. | CARIBOU
DISTURBANCE |
| 74. | If nesting areas are encountered during the course of operations, the Permittee shall minimize all activity so as to not disturb them. | MIGRATORY BIRD
NEST DISTURBANCE |
| 75. | If any plan is not approved by the Board, the Permittee shall revise the plan according to the Board’s direction and re-submit it to the Board for approval. | RESUBMIT PLAN |

- | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| 76. | The Permittee shall comply with the Engagement Plan , once approved, and shall annually review the plan and make any necessary revisions to reflect changes in operations or as directed by the Board. Revisions to the plan shall be submitted to the Board for approval. | ENGAGEMENT PLAN |
| 77. | All revised plans submitted to the Board shall include a brief summary of the changes made to the plan. | SUMMARY OF
CHANGES |