



PO Box 32, Wekweètì NT X0E 1W0
Tel: 867-713-2500 Fax: 867-713-2502

#1-4905 48th Street, Yellowknife NT X1A 3S3
Tel: 867-765-4592 Fax: 867-765-4593
www.wlwb.ca

May 25, 2022

File: W2022X0002

Mark Poskitt
Tłı̄chǫ Government
PO Box 412
Behchokǫ, NT X0E 0Y0

Sent by email

Dear Mark Poskitt,

Re: Spill Contingency Plan, Version 1.1 – Approved – Whatı Falls Improvement Project – Miscellaneous – Whatı, NT

The Wek'èezhì Land and Water Board (Board) met on May 25, 2022 and considered the Spill Contingency Plan (SCP), Version 1.1¹ submitted by Tłı̄chǫ Government (TG) as required by the Board's April 18, 2022 Reasons for Decision for the Issuance of Land Use Permit W2022X0002.² Version 1.1 was submitted on April 29, 2022; following conformity correspondence with Board staff, a revised copy was submitted on May 11, 2022.

The Board has conducted a conformity check and determined that the submission meets the requirements set out in the Board's Reasons for Decision. The SCP, Version 1.1 is hereby considered approved.

Please direct questions or concerns regarding this letter to Ryan Fequet in writing.

¹ See WLWB Online Registry www.wlwb.ca for [Whatı Falls Improvement Project - Spill Contingency Plan - Version 1.1 - May 11 22](#).

² See WLWB Online Registry for [Whatı Falls Improvement Project - Land Use Permit - Reasons for Decision - Apr 18 22](#).

Yours sincerely,



Mike Nitsiza
Acting Chair, Wek'èezhìi Land and Water Board

BCC'd to: Wek'èezhìi Distribution List
 Clint Ambrose – Inspector, GNWT-Lands